

Purchasing Department
1320 West Main Street Suite 305
Franklin, TN 37064-3700
Phone (615) 472-4010



ADDENDUM 1

To: Prospective Bidders
From: WCS Purchasing Department
Subject: WCS RFB #1420 District Vehicles & Motorized Equipment

Date: September 15, 2026

Bidders shall disregard all previously issued Item Specification Lists, Bid Cover Sheet, and Individual Item Bid Sheets associated with this solicitation.

The attached revised Item Specification Lists, Bid Cover Sheet, and Individual Item Bid Sheets supersede and replace all previously issued versions in their entirety and shall be considered the official documents for this solicitation.

Bidders are required to complete and submit the revised documents included with this Addendum. Submission of outdated, superseded, or previously issued bid forms may result in the bid being deemed non-responsive and disqualified from consideration.

It is the responsibility of each bidder to review the revised specifications and forms prior to submitting a bid.

Except as specifically modified by this Addendum, all other terms, conditions, requirements, and deadlines of the solicitation remain unchanged.

ITEM 1 Box Truck (2 Units)

1 unit for Maintenance Department & 1 unit for IT Department

New 2026 or newer Model Year Box Truck Vehicle Requirements

- Commercial medium-duty chassis Class 5 Cab-Over engine chassis or low-cab -forward chassis
- Minimum GVWR: 19,500 lbs
- Diesel-powered engine
- Automatic transmission
- Rear Wheel Drive with dual wheels
- White exterior finish
- Interior, vinyl commercial type
- Air Conditioning
- Power Windows
- Power Door Locks, 2 sets of keys required
- Cruise Control
- Backup Camera
- Bluetooth enabled audio system
- Minimum seating for 2 occupants (3 person seat if applicable)
- Enclosed Dry Freight Body
- Cargo Box 20 feet minimum Length, Height minimum of 84"
- Grab handles and steps required
- Interior suitable for food service or maintenance operations
- LED Cargo Lighting
- Heavy Duty Flooring suitable for pallet jacks
- Roll up Door
- Wall protection and E-Track or equal cargo securing system installed on both walls
- Hydraulic tuck-under liftgate
- Minimum lifting capacity: 3,000 lbs
- Platform sized appropriately for palletized food, kitchen equipment, furniture and supply deliveries
- Dimensions: Approximately width of vehicle by 60" loading depth
- Liftgate shall be compatible with vehicle model and installed by manufacturer or authorized dealer.
- Backup Alarm
- Electronic stability control
- Advanced driver assistance, collision avoidance features available from the manufacturer
- Anti-lock braking system (ABS)
- DOT required lighting and reflectors, Emergency warning triangles
- Fire Extinguisher
- All Federally Required Safety Equipment
- Heavy-duty fuel system suitable for commercial delivery operations
- Manufacturer's standard towing equipment
- Manufacturer's standard chassis warranty
- Body manufacturer's standard warranty
- Liftgate manufacturer's standard warranty
- Vehicle shall be delivered fully assembled, inspected, and ready for operation.
- Bidder shall provide complete manufacturer specifications and warranty information with bid submission.
- Any deviations from these specifications must be clearly identified.
- Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements

ITEM 2 Bucket Truck - Insulated Material-Handling (1 Unit)

1 Unit for Maintenance Department

New 2026 or newer model year Complete Bucket Truck Vehicle

- Minimum GVWR: 19,500 lbs. or larger
- Dual rear wheel chassis 4 x 2 configuration heavy duty chassis
- Turbo Diesel-powered engine
- Heavy-duty automatic transmission
- Heavy-duty suspension, cooling, alternator, and electrical systems
- PTO / hydraulic system appropriately sized for aerial device
- White exterior finish, Vinyl Interior
- **Aerial Device Requirements**
- Telescopic articulating insulated aerial device
- Minimum working height: 54 feet
- Maximum side reach: 31 ¹/₂ feet
- Boom extension travel: 120 in. minimum
- Continuous rotation
- Compensated upper boom and hydraulic basket leveling
- Proportional upper controls and lower override controls
- Engine start/stop capability from platform, basket accessible from ground
- Compliance with current ANSI aerial-device standards
- Insulated aerial device
- Minimum ANSI Category C or D, fiberglass main and articulating booms where required
- High electrical resistant controls as appropriate

Platform Requirements

- Platform Size must be minimum of 42" x 24" double person
- insulated personnel/material-handling platform
- Minimum personnel capacity of 400 lbs. while using material-handling function
- Minimum personnel capacity of 550 lbs. without material-handling function
- Basket rotation up to 180 degrees capability
- Fall-protection attachment points
- Tool circuit at platform
- Ground-accessible platform entry
- Bulkhead with mounted caution strobes and controllable work lights

Material Handling Requirements

- Hydraulic jib and winch system
- Minimum Jib/winch lifting capacity: 1,000 lbs.
- Upper and lower winch controls
- Jib shall permit material handling from the platform, Jib/winch shall be positioned to minimize interference with normal basket operation.
- Manufacturer-supplied load charts and operating instructions

Stabilization System

- Hydraulic outriggers or stabilizers as required for safe operation
- Outrigger safety interlocks
- Motion warning alarm
- Outrigger pads included
- Controls accessible from ground level

Utility Body Requirements

- Commercial utility/service body constructed of steel or aluminum
- Multiple lockable storage weather resistant compartment seals
- Adjustable shelving
- LED compartment lighting
- Non-slip walking surfaces and access steps
- Backup camera
- Cab protector or equivalent equipment protection feature
- Adjustable LED work Lights
- Installed 3000 watt-watt 120V AC power inverter with GFCI protected weather resistant receptacles
- Backup camera and backup alarm
- Amber LED warning/strobe lighting
- Emergency lowering system
- Fire extinguisher
- Reflective warning triangles, all required safety decals and placards
- Wheel chocks and outrigger pads
- Air conditioning and heat
- Power windows and Door locks 2 sets of keys
- Cruise control
- Bluetooth-capable and USB port 12v power
- Minimum seating capacity of two (2) occupants
- Heavy Duty Tires appropriate for completed axle ratings, full size spare

Warranty

- Manufacturer's standard chassis warranty
- Aerial device manufacturer's warranty
- Service body manufacturer's warranty

Delivery Requirements

- Unit shall be delivered fully assembled, tested, certified, and ready for service.
- Bidder shall provide complete specifications, warranty information, and equipment literature with bid submission
- **Any deviations from these specifications must be clearly identified**
- Vehicle shall comply with all applicable federal, state, ANSI, and manufacturer requirements

NOTE: Specifications based upon the Dur-A-Lift DPM-47DU. Dur-A-Lift DPM-47DU or approved equivalent that meets or exceeds these specifications and requirements will be considered.

ITEM 3 Dump Truck – Class 4 Chassis 4x4 (1 Unit)

1 Unit for Maintenance Department

New 2026 or newer model year Diesel Dump Truck 4 x 4

- Class 4 Single cab and chassis truck
 - Cab to Axle 84”
 - Four-wheel drive (4x4) with dual rear wheels
 - Turbo diesel engine and automatic transmission
 - Heavy GVWR Minimum 17,500
 - White exterior
 - Interior vinyl (heavy duty type)
 - 11 ' (foot) Commercial steel contractor dump body with hydraulic hoist
 - 24 " (inch) Fold-down sides and heavy-duty tailgate
 - Cab protector/headboard
 - Electric tarp system (if applicable)
 - Commercial Heavy-duty class V receiver hitch, minimum 2" receiver opening, rated appropriately for the completed vehicle and chassis, trailer wiring, and trailer brake controller (hitch not to interfere with dump body during operation)
 - Backup camera
 - Air conditioning
 - Power windows
 - Power Door locks with 2 sets of keys
 - Cruise control
 - Bluetooth connectivity
 - DOT-compliant LED lighting and rear work lights
 - Minimum remaining payload capacity of 3,500 lbs. after installation of all equipment. (Vendor to provide estimated curb weight and remaining available payload capacity)
 - Manufacturer's standard chassis and powertrain warranty
 - Dump body and component warranties included
 - Unit shall be delivered fully assembled, serviced, inspected, and ready for operation
 - See photo on page 2 for details
-
- Any deviations from these specifications must be clearly identified
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements



ITEM 4 Cargo Van - High Roof (2 Units)

1 Unit Maintenance Department and 1 Unit for IT Department

New 2026 or newer Model High Roof Cargo Van

- White exterior finish
 - High-roof configuration providing full standing-height cargo area minimum interior cargo height of 75"
 - Full width steel or aluminum safety partition/bulkhead
 - Extended-length body suitable for cargo and maintenance operations minimum of 140 " usable cargo floor length measured behind installed bulkhead
 - Minimum ¾-ton (2500-series or equivalent) payload rating
 - Gasoline-powered engine
 - Automatic transmission Front or Rear Wheel drive is acceptable
 - Single rear wheel configuration
 - Minimum ¾ ton 2500-Series or equivalent payload rating
 - Sliding passenger-side cargo door (no window is required)
 - Rear cargo doors with windows preferred (will accept without windows)
 - Passenger-side cargo area window (preferred)
 - Cargo area suitable for installation of shelving, storage, and maintenance equipment with tie down points
 - Vinyl seats commercial type
 - Air conditioning
 - Power windows
 - Power door locks, keyless entry, 2 sets of keys
 - Back up Camera
 - All-weather front floor mats
 - Infotainment system with smartphone integration
 - Electronic stability control
 - Anti-lock braking system (ABS)
 - Factory-installed or manufacturer-approved trailer towing package
 - Trailer hitch receiver and associated towing equipment
 - Manufacturer's full standard vehicle warranty
-
- Bidder shall provide complete manufacturer specifications and warranty information with bid submission.
 - Any deviations from these specifications must be clearly identified.
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements

ITEM 5 Cargo Van - Medium Roof (2 Units)

IT Department

New 2026 or newer model year Medium Roof Height Cargo Vans

- White exterior finish
 - Medium-roof configuration
 - Extended-length body suitable for maintenance, delivery, and support operations
 - Minimum ¾-ton (2500-series or equivalent) payload rating
 - Gasoline-powered engine
 - Automatic transmission
 - Single rear wheel configuration
 - Sliding passenger-side cargo door with window
 - Rear cargo doors with windows
 - Passenger-side cargo area window or equivalent visibility feature
 - Cargo area suitable for installation of shelving, storage, and maintenance equipment
 - Cloth seats
 - Air conditioning
 - Power windows
 - Power door locks, keyless entry
 - All-weather front floor mats
 - Rear-view camera
 - Infotainment system with smartphone integration (Apple CarPlay®, Android Auto®, or equivalent)
 - Bluetooth hands-free capability
 - Anti-lock braking system (ABS)
 - Electronic stability control
 - Factory-installed or manufacturer-approved trailer towing package
 - Trailer hitch receiver and associated towing equipment
 - Manufacturer's full standard vehicle warranty
 - Vehicles shall be delivered ready for operation
-
- Bidder shall provide complete manufacturer specifications and warranty information with bid submission.
 - Any deviations from these specifications must be clearly identified.
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements

ITEM 6 Truck : Half-Ton Double Cab Pickup (2 to 3 Units depending on funding)

IT Department

New 2026 or newer Model Year Half-Ton Pick-Up Double Cab or Extended, Quad Cab (not.crew)

- White exterior finish
 - Vinyl Seats
 - Double Cab, Quad Cab or equivalent configuration (NOT A CREW CAB)
 - Standard long cargo bed 6 ½ feet in length
 - Rear-wheel drive (RWD)
 - Minimum ½-ton payload classification or equivalent
 - Gasoline-powered engine
 - Automatic transmission
 - Front bucket seats with center console
 - Air conditioning
 - Power windows
 - Power door locks, keyless entry 2 sets of keys
 - All-weather floor mats (front and rear)
 - Rear-view camera
 - Infotainment system with smartphone integration
 - Bluetooth hands-free capability
 - Anti-lock braking system (ABS)
 - Electronic stability control
 - Factory-installed or manufacturer-approved trailer towing package
 - Trailer hitch receiver and associated towing equipment
 - Manufacturer's full standard vehicle warranty
 - Vehicles shall be delivered ready for operation
-
- Bidder shall provide complete manufacturer specifications and warranty information with bid submission.
 - Any deviations from these specifications must be clearly identified.
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements

ITEM 7

Truck : Three-Quarter Ton 4x4 Pickup (1 Unit)

Maintenance Department

New 2026 or newer Model Year Three-Quarter Ton Pick Up 4x4

- Three-Quarter ton pick up
 - Crew Cab configuration
 - Four-wheel drive (4x4)
 - Gasoline V8 engine or equivalent
 - Automatic transmission
 - Long cargo bed 8 foot
 - Spray-in bedliner or equivalent bed protection
 - Lockable, weather-resistant **Commercial Topper** bed cap/topper flip up both sides with storage bins
 - Trailer tow package with receiver hitch and trailer wiring connector
 - Heavy-duty charging system
 - White exterior
 - Air conditioning
 - Cruise control
 - Power windows
 - Power door locks, Keyless entry, **Two sets of Keys**
 - Backup camera
 - Bluetooth connectivity
 - Heavy-duty floor mats or flooring
 - Running boards or cab steps
 - Manufacturer's standard vehicle and powertrain warranty
 - Topper bed cap/topper full warranty included
 - Vehicle shall be delivered with Bed Topper, serviced, inspected, and ready for operation.
-
- Bidder shall provide complete manufacturer specifications and warranty information with bid submission
 - Any deviations from these specifications must be clearly identified
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements

ITEM 8 Three-Quarter Ton Pickup w/ Hydraulic Liftgate

Maintenance Department

New 2026 or Newer Model Year Three-Quarter Ton Pickup Truck with Hydraulic Liftgate

- Three-Quarter Ton Pick-Up Truck
 - Minimum GVWR of 10,000 lbs.
 - Gasoline V8 engine or equivalent
 - Automatic transmission
 - Two-wheel drive (2WD) minimum. Alternate pricing for 4WD requested
 - Double, or crew cab configuration
 - White exterior
 - Vinyl Interior
 - Long cargo bed with spray-in bedliner or equivalent protection
 - **Liftgate:** Commercial hydraulic liftgate with minimum 1,500-lb lifting capacity
Full-width platform and minimum 48" depth when deployed
 - Non-slip surface
 - Power up/down liftgate operation with required safety controls
 - Liftgate installation shall not interfere with trailer hitch operation
 - Minimum remaining payload capacity of 2,000 lbs. after installation of liftgate and all equipment
 - Trailer tow package with receiver hitch, trailer wiring, and trailer brake controller
 - Heavy-duty charging system suitable for liftgate operation
 - Air conditioning
 - Cruise control
 - Power windows
 - Power door locks, Keyless entry, Two sets of Keys
 - Backup camera
 - Bluetooth connectivity
 - Heavy-duty floor mats
 - Running boards or cab steps
 - Manufacturer's standard vehicle and powertrain warranty
 - Liftgate manufacturer's warranty
 - Vehicle shall be delivered fully assembled, inspected, serviced, and ready for operation
-
- Bidder shall provide complete manufacturer specifications and warranty information with bid submission
 - Any deviations from these specifications must be clearly identified.
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements

WCS plans to purchase 1 of the above vehicles as specified please provide a price on the bid cover sheet for both 2-wheel drive & 4-wheel drive.

ITEM 9 Service Truck (1 Unit)

Food Service Department

New 2026 or newer Model Year Three-Quarter Ton Service Truck with Service Body

- Three-Quarter Ton Service Truck
- Four-wheel drive (4x4)
- Crew cab configuration, Minimum seating capacity: six (6)
- Minimum GVWR: 10,000 lbs.
- Gasoline-powered V8 engine or equivalent
- Automatic transmission
- White exterior finish
- Vinyl Seating
- Heavy-duty suspension suitable for commercial service applications
- Commercial-grade steel or aluminum service body with roll up door
- Air conditioning
- Power windows
- Power Door Locks, keyless entry, 2 sets of keys
- Rear vision camera
- Cruise control
- Bluetooth hands-free capability
- Apple CarPlay®, Android Auto®, or equivalent smartphone integration
- Heated exterior towing mirrors
- Anti-lock braking system (ABS)
- Electronic stability control

SERVICE BODY (See Photo on page 2)

- Exterior lockable storage compartments on both sides (No Ladder Rack)
- Adjustable shelving and compartment dividers
- Steel or equivalent heavy-duty cargo floor
- Roll up Door
- LED compartment or work lighting
- Corrosion-resistant finish
- Tailgate and rear bumper suitable for commercial utility use
- Receiver hitch installed
- Minimum 2-inch receiver opening
- Heavy-duty charging system
- Factory or aftermarket upfitter switches to support auxiliary equipment installation
- Manufacturer's standard vehicle warranty
- Service body manufacturer's standard warranty
- Vehicle shall be delivered fully assembled including service body ready for operation

- Bidder shall provide complete manufacturer's specifications and literature with bid submission for truck and service body
- Any deviations from these specifications must be clearly identified.
- Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements



ITEM 10 Utility / Work Trucks (2 units)

Maintenance Department

New 2026 or newer Model Year One-Ton Utility/Work trucks

- One-ton dual rear wheel (DRW) chassis or equivalent
- Two-wheel drive (2WD)
- Gasoline V8 engine or equivalent
- Automatic transmission
- Minimum remaining payload capacity of 3,000 lbs after installation of all equipment (**Bidder shall provide calculated completed curb weight and remaining payload capacity after installation of service body and all specified equipment**)
- Regular cab with commercial-grade vinyl interior
- White exterior
- Air conditioning
- Cruise control
- Power windows
- Power Locks, keyless entry, 2 sets of keys
- Backup camera
- Bluetooth connectivity

SERVICE BODY

- **9 ft long** commercial utility/service body with exterior lockable storage compartments and open cargo area
 - Central or master compartment locking system
 - Adjustable shelving within applicable compartments
 - LED compartment lighting and rear work lights
 - Heavy-duty ladder rack
 - Receiver hitch, trailer wiring connector, and trailer brake controller
 - Heavy-duty charging system for work-truck accessories
 - Manufacturer's full standard chassis and powertrain warranty
 - Service body and upfitter warranties included
 - Vehicles shall be delivered, inspected, serviced, and ready for operation
 - Any deviations from these specifications must be clearly identified
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements
-
- Bidder shall provide complete manufacturer specifications and warranty information with bid submission.
 - Any deviations from these specifications must be clearly identified.
 - Owner reserves the right to accept equivalent products that meet or exceed the intended use and performance requirements



WILLIAMSON COUNTY SCHOOLS
RFB #1420 DISTRICT VEHICLES & MOTORIZED EQUIPMENT
BID COVER SHEET

Vendor Information

Company Name:		
Representative:	Name:	
	Title:	
Company Address:		
Company Phone:		
Company Email:		

Vendor Certification

I certify that the vehicles/equipment offered meet or exceed the specifications identified in WCS RFB #1420 except for any deviations identified in this bid submission.

Company Representative Signature:	
Date of Signature:	

ITEM 1 Box Truck (2 Units)
1 Unit for Maintenance Department & 1 Unit for IT Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 2 Bucket Truck - Insulated Material-Handling (1 Unit)
Maintenance Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 3 Dump Truck – Class 4 Chassis 4x4 (1 unit)
Maintenance Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit \$	

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 4 Cargo Van - High Roof (2 Units)
1 Unit Maintenance Department & 1 Unit for IT Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 5 Cargo Van - Medium Roof (2 Units)
IT Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 6 Truck : Half-Ton Double Cab Pickup (2-3 Units)
IT Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 7 Truck : Three-Quarter Ton 4x4 Pickup (1 Unit)
Maintenance Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 8 Truck : Three-Quarter Ton Pickup with Hydraulic Liftgate (1 Unit)
Maintenance Department

☐ Check here if NOT bidding on this item

Vendor Response	2WD	4WD Alternate
Make/Brand		
Model/Type		
Year		
Delivery Date		
Total Cost Per Unit	\$	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 9 Service Truck (1 Unit)
Food Service Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet:

ITEM 10 Utility / Work Truck (2 Units)
Maintenance Department

☐ Check here if NOT bidding on this item

Vendor Response	
Make/Brand	
Model/Type	
Year	
Delivery Date	
Total Cost Per Unit	\$

Bidder must clearly identify all exceptions, substitutions, and deviations from the specifications, including alternate options offered below or on a separate, attached sheet: