

Purchasing Department
1320 West Main Street Suite 202
Franklin, Tennessee 37064-3700
Phone (615) 472-4010



WILLIAMSON COUNTY SCHOOLS
RFB # 1423
Annual School Bus Bid
NEW GENERAL ED and SPECIAL ED SCHOOL BUSES
Buses are being procured for the 2027– 28 School Year

Williamson County Board of Education (WCS) is accepting bids from qualified bidders for new General Education and Special Education School Buses for the School Year 2027-28. Interested bidders shall submit sealed bids using the forms attached to this bid document. Bids must be submitted in a sealed envelope mailed or hand delivered to Williamson County Schools, 1320 West Main Street, Suite 202, Franklin, TN 37064 Attn: Skip Decker.

The outside of the envelope must be marked "RFB #1423 Annual School Bus Bid". Sealed bid envelopes must be submitted on or before **10:30 a.m. Wednesday, October 21, 2026** at which time sealed bid envelopes will be officially opened. Faxed or emailed bids will not be accepted. Absolutely no bids will be accepted after this time. Sealed bid envelopes shall be stamped (date and time) by WCS to verify the authenticity of receipt. The bid opening will take place at the aforementioned address.

If you have questions concerning this request for bid document, contact the Williamson County Schools Purchasing Department at 615-472-4079 or email skipd@wcs.edu. It is the bidder's responsibility to acknowledge and understand the specifications, scope, requirements, terms, and conditions of this bid project. This RFB was prepared by the Purchasing Department. Should any terms or conditions on the attached Bus Specifications differ from the RFB then the terms and conditions of the RFB shall govern the process.

The following information must be printed on the outside of the sealed bid envelope:

- WCS RFB # 1423 New General Ed & Special Ed School Buses
- Name of Bidding Company
- Date & Time of Bid Opening

The following information must be included inside the sealed bid envelope:

- Signed and completed bid cover sheets
- Signed and completed Iran Divestment Act Certificate
- Signed and completed Non-Boycott of Israel Certificate
- Any related support documents / literature

Williamson County Schools reserves the right to accept or reject bids, upon the evidence (or as determined by WCS Staff) before or after the bid opening, that a bidder is not necessarily qualified by experience, is not in a position to perform the work specified in the time allotted, or upon evidence of collusion with intent to defraud or other illegal practice.

- All bids are to be complete in every detail as required. Bids that are incomplete, contain irregularities or are not in accordance with the specifications may be rejected. WCS reserves the right to waive any formalities to accept any bid as a whole, split bid and/or accept any individual item or items within a bid or to reject any or all bids whichever is in the best interest of WCS.
- The bid may be awarded to the lowest bidder(s) or best overall bid and WCS reserves the right to award based on quality, price and availability of services specified whichever is in the best interest of WCS. This bid evaluation will be based on pricing/cost and service as validated through references and / or other qualitative consideration as submitted through the RFB process.
- Awards shall be made based on best and most responsive bid determined to be in the best interest of WCS. Our intent is to award the RFB to the lowest, best, and most responsive competitive bidder(s).
- This bid is ultimately subject to funding (as with all WCS Bid projects). WCS is a tax-exempt organization . . . Although WCS is tax-exempt — the Bidder(s) are responsible for (and bid cost must reflect) any / all sales and use tax for the materials and equipment.
- The use of the name of a manufacturer or any special brand, model or make in describing an item or the use of detailed descriptive specifications pertinent thereto, does not restrict bidders to that manufacturer, specific article, or such detailed descriptive specifications; the means or method being used is simply to indicate the character, or quality of the article desired. However, the article on which bids are submitted must be of such character, quality and design as it will serve the purpose for which it is to be used equally as well as that specified and must be the equal of the article described and equally suitable to the needs of the WCS District. If bidding another item than the make, model, or brand design specified or such detailed descriptive specifications, the manufacturer's name, and catalogue reference together with specifications must be given and (CLEARLY STATED ON THE BID SHEET IN EVERY INSTANCE). This will enable the Purchasing Department or the Transportation Department leadership to determine its suitability. WCS reserves the right, through the Purchasing Agent, to be the sole judge in the final determination. When no reference is made by the bidder to make or grade proposed to be furnished, it is automatically understood that the specific article named on the bid sheet will be furnished. Williamson County Schools Purchasing Agent must approve any change in offers to the original bid specifications.

- If quantities are provided, they are approximations and may only be estimates of annual usage and not necessarily guaranteed initial purchase quantity. Quantities provided are best estimates of anticipated order quantities. However, WCS cannot guarantee fulfillment of annual usage estimates. The WCBOE reserves the right to increase or decrease amounts and/or quantities.
- All Bids are to be valid for a minimum of 90 days or until awarded whichever comes first. For all awarded bids the price will remain in effect for 10 months from commencement of bid opening date.. This bid covers October 21, 2026 thru August 21, 2027 . . . This allows WCS to make any possible future — additional purchases (at same awarded bid cost) within the stated 10-month period. Any exceptions to this must be stated in writing by the participating bidder on the submitted bid cover sheet. WCS reserves the right to accept or reject the exception whichever is in the best interest of the district.
- The language of this WCS RFB shall be binding unless mutually amended by WCS and the awarded bidder. Issuance of the purchase order will be the award notice. The terms and conditions of the WCS-RFB and detailed purchase order shall constitute entire agreement.
- Invoice must be reflective of original bid and must include a valid WCS purchase order number to be paid. WCS will not be responsible for "added expenses". There shall absolutely be no surcharges. Bidders should submit the most competitive "all in" bid / cost.
- One single invoice — shall be submitted after 100% of order has been successfully delivered to the satisfaction of the WCS Transportation Director. Back orders are discouraged. Bills for partial shipments are not acceptable.
- Notice of final delivery and acceptance must be verified for accuracy and approved by appropriate WCS Transportation Personnel, prior to submission of invoice for payment. Prices must include complete shipping/delivery costs and installation. The successful bidder must provide full arrangements for delivery.
- All invoices, as mentioned above, must have an approved WCS purchase order number. We require one single invoice per purchase order. The packing slips, manifest or delivery papers should be presented to the WCS Purchasing Department after we receive 100% of the items on the original purchase order. WCS Purchasing Department will coordinate vehicle inspection and invoice approval with WCS Transportation Department.
- Invoices shall be pursuant to the terms and conditions of this RFB. WCS desires to avoid partial projects when possible. No partial invoices will be processed for payment. Invoices should be submitted for payment upon 100% satisfactory completion of each PO.

- The awarded bidder must have the financial ability to accommodate 100% satisfactory completion of their order before payment. Vendor must accept this type of invoicing and payment arrangement and not request partial payments from WCS. Detailed itemized billing should be included with every invoice submitted. WCS has the right to dispute any invoices.
- The bidder shall abide by and comply with the true intent of the specifications and not take advantage of any unintentional error or omission but shall fully address the full intent and meaning of each aspect of the specifications. By submission of the bid the vendor certifies that all items are reasonably equal to or better than the referenced items and agrees to all terms and conditions stated herein.
- It is the vendor's responsibility to comply with all local, state, and federal laws, regulations, codes, licensing and other governmental requirements regarding the specifications of this project. The bidder must be prepared to substantiate compliance upon request by the Board's representative.
- In the event a vendor fails to perform, WCS reserves the right to begin negotiations with the "next best bidder" in order to complete the projects or services. In addition, the vendor may forfeit future business with WCS.
- The desired buses should reasonably meet or exceed the specifications of the models included in the detailed specifications which have been provided as a reference. The awarded buses could be the referenced brand or any other brand that reasonably meets or exceeds the specifications of the referenced product.
- Concerning any rebates, our preference is for dealer/vendor to handle any manufacturing rebates (and such rebate is reflected in bid pricing). However, if certain rebates require end user (WCS) to apply then bidder MUST state in writing the rebate details, including amount and deadline to apply. This must be indicated on the bidder's cover sheet in order for WCS to consider rebate requirements along with the Bidder's submission.
- It is preferable that all bidders should own or operate a stocked parts and service Facility within 80 miles of Williamson County Schools Transportation Department or guarantee shipment or availability of parts on a NEXT DAY basis.

GENERAL SCOPE OF PROJECT

It is the purpose of this RFB to acquire competitive bids for various types of new School Buses based on a range of possible quantities. All Williamson County School Bid Projects and related purchases are contingent upon funding from the Williamson County Board of Education and the Williamson County Commission . . . At this time, it is the desire and intent of WCBOE to fund the following quantities of new school buses for the 27-28 school year.

General Education & Special Ed Buses:

1. **(15 new 84 passenger units) General Education Buses**
2. **(4 new 22 + 3 seat configuration units) Special Ed Buses**

Total intent to purchase, (approximately 19) new combined units, if fully funded through the Williamson County School Board and Williamson County Government.

Williamson County Schools reserves the option of awarding the bid to the most qualified, lowest and most responsive bidder that reasonably meets all specifications of this bid project. WCS also reserves the right to piggy-back on a valid awarded contract by other school districts in the State of Tennessee (as allowable under TCA # 12-3-1004) whichever is in the best interest of WCS. WCS will furthermore require the bidders to include on their bid cover sheet (by checking yes or no) an answer that would allow other school districts in the state of Tennessee permission to piggyback off this awarded bid to the extent TN law will allow.

The desired buses should reasonably meet or exceed the specifications of the models included in the detailed specifications which have been provided as a reference. The product awarded could be the referenced brands or any other brand that reasonably meets or exceeds the specifications of the referenced product. Acceptable school buses that are allowed on this bid project are for 2025 or newer model years.

SCHEDULE OF AWARD & RELATED VALUES

- **The Bid Opening shall take place on Wednesday, October 21, 2026 @ 10:30 a.m.**
- Bid tabulations indicating the apparent low bidder will be sent out *AROUND* Friday October 23, 2026.
- WCS plans on issuing a fully funded PO or a letter of intent on or around Nov. 30, 2026 to the awarded bidder(s). This will allow the awarded bidder(s) sufficient time to make the delivery deadline.
- All bidders must hold their bid price for minimum of 90 days from date of bid opening. 100% complete delivery / receipt of all General Ed & Special Ed units must take place by or before to avoid Liquidated Damages. Any exceptions to this must be noted on the bid cover sheet and will be accepted at WCS discretion. Exceptions shall be approved at the time of purchase and be agreed upon by both parties.
- All New School Bus Vehicles should be delivered to the WCS Transportation Department at 1771 West Main Street, Franklin, TN 37064. schedule the actual delivery arrangements with the WCS Transportation Department 615-472-4951 at least 48 hours in advance.
- New Buses shall have no more than a maximum of 800 miles on the vehicle odometer.

LIQUIDATED DAMAGES - *REGARDING INCOMPLETE DELIVERIES*

Beginning Saturday, August 8, 2026, \$150 per consecutive calendar day penalty will be assessed and deducted from the bus-dealer's invoice. Deductions will continue until the delivery is 100% complete pursuant to the RFB award purchase order — terms and conditions.

- ALLOWABLE DELIVERY WINDOW - Do not stagger the delivery of Buses to WCS, all buses are to be delivered as one consolidated shipment during a 48-hour period sometime between July 12, 2027 thru July 30, 2027.
- After all bus deliveries have been satisfactorily completed the awarded dealer(s) shall present one (1) detailed, itemized, consolidated invoice along with appropriate Title/Manufacturer Certificate of Origin and warranties, to WCS Purchasing Department... Failure to follow these instructions will result in delayed payment... Invoice must properly reference and match up to the corresponding WCS PO.
The following specifications are for critical components, which must be included in all bid submissions

➤ ANGEL TRAX VX5AI / WITH HARD DRIVE INCLUDED is preferred INTERIOR
4 CAMERA SYSTEM COMPLETELY INSTALLED 1 front camera, 1 rear camera,
1 driver step well camera, 1 front window facing road camera

WCS switched over to a new emergency management program a few years ago in conjunction with the Williamson County Government. Therefore, we are requiring a Radio System that will operate with the county system. Specifications are included on this page.

WCS BID COVER SHEET
RFB # 1423
New General Ed & Special Ed
October, 2026

Name: _____ Title _____

I verify that I have read and understand the terms and conditions contained within this document and that I acknowledge and agree with all the language set forth within. By signing this document and submitting my bid in a sealed envelope to Williamson County Schools, I (bidder) fully accept all terms and conditions contained within. Notice to Bidder — If you find any of the language, terms, conditions, or specifications unacceptable — then please do not submit a bid package for this project.

Name of Company:

Address: _____

Phone number: _____

Email Address: _____

NOTE: Bidders must stand by their products. If a particular bus continues to be out of service or turns out to be what the industry calls a “lemon” and shows a history of poor workmanship or other failure, the dealer should replace the unit, offer extended warranty’s or offer other options in order to stand by their equipment.

**WILL OTHER SCHOOL DISTRICTS IN THE STATE OF TN BE ALLOWED TO PIGGYBACK
OFF THIS BID (to the extent the state law will allow)? Yes ___ No ___**

ITEM 1: NEW MODEL Year 2027 or newer - GENERAL ED 84 PASSENGER BUS

Front Engine Transit Type D (*Base bid is without seat belts or seat belt ready frame*)

Model _____ Make _____ Body _____

Engine _____ Model Year _____ Chassis _____

Warranty - Confirm Warranty details on the following spec pages.

BASE BID -BUS UNIT PRICE \$ _____

Option: Cost for Three Point Seat Belt system throughout the bus. \$

Option: Cost for Three Point Seat Belt ready frames throughout the bus \$

Can Bidder Meet the Delivery Deadline? Yes ___ No ___

ATTACH SEAT-LAYOUT AND CONFIGURATION TO BID COVER SHEETS

RFB #1423
Bid Cover Sheet page 2

NAME OF BIDDING COMPANY _____

ITEM 2: NEW MODEL Year 2027 or newer - SPECIAL ED PASSENGER BUS
22 PASSENGER + 3 WC Conventional Type C

Cost for Three Point Seat Belt system throughout the bus included in base bid

Model _____ Make _____ Body _____

Engine _____ Model Year _____ Chassis _____

Warranty - Confirm Warranty details on the following spec pages.

BASE BID - BUS UNIT PRICE \$ _____

Can the bidder Meet the Delivery Deadline? Yes No____

ATTACH SEAT-LAYOUT AND CONFIGURATION TO BID COVER SHEETS

Specifications Sheets are included in this document

CERTIFICATION OF COMPLIANCE WITH THE IRAN DIVESTMENT ACT

Effective July 1, 2016, this form must be submitted for any contract that is subject to the Iran Divestment Act, Tenn. Code Ann. S 12-12-101, et seq., ("Act"). This form must be submitted with any bid or proposal regardless of where the principal place of business is located.

Pursuant to the Act, this certification must be completed by any corporation, general partnership, limited partnership, limited liability partnership, joint venture, nonprofit organization, or other business organization that is contracting with a political subdivision of the State of Tennessee.

Certification Requirements.

No state agency or local government shall enter into any contract subject to the Act, or amend or renew any such contract with any bidder/contractor who is found ineligible under the Act.

Complete all sections of this certification and sign and date it, under oath, in the presence of a Notary Public or a person authorized to take an oath in another state.

CERTIFICATION:

I, the undersigned, certify that by submission of this bid, each bidder and each person signing on behalf of any Respondent certifies, and in the case of a joint bid or contract each party thereto certifies, as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to Tenn. Code Ann. 12-12-106.

Respondent represents it has the full power, knowledge, and authority to make this Certification and that the signatory signing this Certification on behalf of bidder/contractor has been duly authorized to do so on behalf of the bidder/contractor.

Sworn as true to the best of my knowledge and belief, subject to the penalties of false statement.

Printed Respondent Name Printed Name of Authorized Official

Signature of Authorized Official

Date

NON-BOYCOTT OF ISRAEL CERTIFICATION

Tenn. Code Ann. § 12-4-119 prohibits public entities from entering into a contract for services, supplies, information technology or construction unless the contract includes a written certification that the company is not currently engaged in and will not be engaged in for the duration of the contract, a boycott of Israel. This applies to any contract entered into on or after July 1, 2022. The law does not apply to contracts with a value of less than \$250,000 or in contracts where the supplier has less than ten employees.

A boycott of Israel means engaging in refusals to deal, terminating business activities or other commercial actions that are intended to limit commercial relations with Israel, or companies doing business in or with Israel or authorized by, licensed by or organized under the laws of the State of Israel to do business, or persons or entities doing business in Israel, when such actions are taken: (1) In compliance with, or adherence to, calls for a boycott of Israel, or (2) In a manner that discriminates on the basis of nationality, national origin, religion, or other unreasonable basis and is not based on a valid business reason. Tenn. Code Ann. § 12-4-119.

Certification Requirements.

Complete all sections of this certification and sign and date it, under oath, in the presence of a Notary Public or a person authorized to take an oath in another state.

CERTIFICATION:

The Contractor certifies that it is not currently engaged in, and will not for the duration of the contract engage in, a boycott of Israel as defined by Tenn. Code Ann. § 12-4-119. This provision shall not apply to contracts with a total value of less than two hundred fifty thousand dollars (\$250,000) or to contractors with less than ten (10) employees.

Printed Name and Title of Authorized Official

Signature of Authorized Official

Date

STATE OF _____

COUNTY OF _____

Before me personally appeared _____, with whom I am personally acquainted (or proved to me on the basis of satisfactory evidence), and who acknowledged that such person executed the forgoing affidavit for the purposes therein contained.

Witness my hand and seal at office this _____ day of _____.

Notary Public My commission expires:

BRAND NAMES are used for identification and communication only,
however a deviation from the specifications must be noted as an exception.

Deliver to: Williamson County Schools
Transportation Bus Garage 1771 West
Main Street Franklin, TN 37064
84 Passenger Type D Front Engine Transit
RFB # 1423 Annual Bus Bid 2026-27

BODY SPECIFICATIONS		TYPE D - FRONT ENGINE TRANSIT BUS	Notes / Comments Exceptions
1	Seating Capacity	84 Passenger capacity built on a 90 Passenger shell 24"-29" minimum knee space is acceptable	
2	Seating	Regular seating throughout... No special seating in the front 2 seats. Bus should have 28 total rows.	
3	Headroom	77 inches minimum	
4	Windows	12" x 24" minimum	
5	Emergency Exit Windows	Total Four (4) push out tinted	
6	Windows	Tinted 28% dark with Black Window Trim no exceptions	
7	Windshield	Tinted	
8	Roof	Painted White	
9	Interior Side Panels	Aluminized	
10	Front Service Door	Air Operated - 3 Position Switch	
11	Front Service Door	Outward Opening with Vandal Lock	
12	Steps / Entrance	Korseal White Pebble Top Nosing 3 step with Exterior Guard	
13	Rub Rails	Black - Four (4) each side	
14	Upholstery	Heavy Duty Upholstery fire block, Gray or Brown cloth or vinyl referred	

Name of Bidder

BODY SPECIFICATIONS		84 PASS TYPE D - FRONT ENGINE TRANSIT BUS	Notes / Comments Exceptions
15	Heaters (Including Drivers seat foot warmer)	190,000 BTU Minimum with / removable filter; To include <u>heavy duty booster pump</u> for rear water circulation; dual heater cut off valves	
16	Heater Location	Standard 2 Front I Back	
17	Defroster Fans	Two (2) fans (dash mounted)	
18	Body Insulation	1. 5- 2" R-Value 5.5 minimum roof, front, rear & sides	
19	Escape Hatches	Two (2)	
20	Hatch Brand	Transpec or Specialty (low profile)	
21	Warning Lights	With Hoods	
22	Interior Lights	8-10 minimum LED	
23	Air Compressor	18.2 CFM standard	
24	Air Dryer	Bendix AD-IP Heated	
25	Air Tank Drain Valve	3 tank minimum... 4 tanks preferred with 5600 cu.in. Bendix DV-w/heater	
26	Fuel Tank Capacity	100 Gallons Minimum	
27	Fuel Filler Door	Spring Loaded	
28	Fuel Tank Access plate	Included	
29	Fuel Water Separator	Racor or Equal with heater	
30	Fuel Tank Location	Between Rails	
31	Battery	1-8 D 1900 CCA or (2) group 31 batteries 2100 CCA minimum or (3) group 31 batteries 2775 CCA minimum	
32	Alternator	240 Min. AMP, Delco, Bosh Brands or 320 AMP on Leece Neville Brands	
33	Tow Hooks	Front and Rear	
34	Chassis Warranty	12 to 24 months — 24,000 miles provide with bid	
35	Body Warranty	12 to 24 months — 24,000 miles provide with bid	
36	Engine Warranty	5 year 100,000 P & L	

Name of Bidder

Make & Model

	BODY SPECIFICATIONS	84 PASS. TYPE D - FRONT ENGINE TRANSIT BUS	Notes / Comments Exceptions
37	Transmission Warranty	7 year Unlimited Miles P & L	
38	Axle Warranty	5 year 100,000 P & L	
39	Differential Warran	5 year 100,000 P & L	
40	Air compressor Warran	5 year 100,000 P & L	

41	Left Blank on purpose	Blank on purpose	
42	AM/FM Radio	AM / FM Radio with AUX / PA system & clock with speakers	
43	Engine	INLINE - Removable from Front 600 ft lb Torque; Int'l Maxx Force or Cummins ISB Engine that meets or exceeds the horsepower and torque requirements specified herein	
44	Engine Type	Six (6) cylinder diesel	
45	Engine Horsepower	220 - 250	
46	Engine Block Heater	750-1250 Watts w/Front fender receptacle mounted	
47	Engine Warning	Coolant & Oil	
48	Transmission	PTS 2500	
49	Transmission Cooler	Internal or External Cooler	
50	Transmission Fluid	TES 295/Allison Transynd	
51	Front Axle Rating	14,600 lbs. minimum	
52	Rear Axle Rating	23,000 lbs. minimum	
53	Suspension Springs Front	Commensurate w/axle 14,600 lbs. minimum	
54	Axle Bearings	Oil Bath	
55	Wheel Type	Stud Piloted	
56	Rim Size	Radial 8.25 x 22.5	
57	Rim color	Black	

Name of Bidder

Make & Model

	BODY SPECIFICATIONS	84 PASS - TYPE D - FRONT ENGINE TRANSIT BUS	Notes / Comments Exceptions
58	Tire Size	1 IR x 22.5 Load Range H	
59	Acceptable Tires	Bridgestone, Firestone, Goodyear or Hankook Balanced & Aligned	
60	Throttle Control	Electronic - Cruise Control	
61	Fuel Solenoid	Electronic	
62	Steering	4 Position Tilt-Telescope	
63	Brake	Air; Antilock; Automatic slack adjustors	
64	Brakes Front Size	16.5 x 6 Minimum or air disc	
65	Brakes Rear	16.5 x 8 Minimum or air disc	
66	Strobe Light	Specialty 515-400	
67	Strobe Light Guard	Protective Cage	

68	Side Directional Lights	Right & Left Side, side clearance and cluster - include armor	
69	Body ACC Solenoid	100 Amp Minimum	
70	Head Lamps	Daytime Running	
71	Mirror Interior	6" x 30" or similar equivalent	
72	Mirror Rear View	Roscoe or Eurostyle, Motorized & Heated	
73	Mirror Bracket	Break - Away	
74	Cross View Mirror	Roscoe Heated	
75	School Bus Sign	Reflective Material	
76	Head Liner Panels	Driver area perforated add an overhead storage compartment	
77	Driver's Seat	6 way adjustable air; high back; 2 arm rest (left and right)	
78	Fire Extinguisher	5 lb. with hose	
79	Driver	Driver Document Compartment	
80	First Aid Body Fluids Kit	Standard	

Name of Bidder

Make & Model

	BODY SPECIFICATIONS	84 PASS - TYPE D - FRONT ENGINE TRANSIT BUS	Notes / Comments Exceptions
81	Warning Devices	Triangle	
82	Wipers	Electric	
83	Cleaning Windshield	Stirrup steps & handles	
84	Cleaning Windshield	Bottle Washer	
85	Lettering	Black - 6" painted or vinyl Williamson County Schools	
86	Bus Numbers	4-total sides (front-rear) back sides 6 inch both bumpers	
87	Model Number Location	Yellow rear with unit # 6" back bumper right	
88	Model Number Size / Color	3/4 x 3 " yellow painted or vinyl	
89	Mud Flaps	Front and Rear	
90	Luggage Compartment	Single compartment <u>right curb side</u> only, 34 cubic feet with 1 or 2 doors each located between the axles with key lock	
91	Air Horn	Can be mounted on roof or floor chrome or black	

92	Driver Power Outlet	cell phone dash mounted power outlet	
93	Floor Covering	Rubber Korseal Black	
94	Reflective Tape - 2"	Full length sides and floor level	
95	Passenger Reminder System	CRS electronics or RTI bus - scan	
96	Stop Sign	Strobing Upper and lower LED	
97	Seat Color	Prefer Gray or Brown	
98	Handrails	Left and right required	
99		This space left blank on purpose	

Name of Bidder

Make & Model

	BODY SPECIFICATIONS	84 PASS - TYPE D - FRONT ENGINE TRANSIT BUS	Notes / Comments Exceptions
100	Crossing Arm	Installed on front bumper, shall be air or electric with magnetic retainer	
101	Training	FREE TRAINING (Diagnostic, Electrical and other) HANDS ON FOR "ALL WCS MECHANICS" in one session	
102	Trash Container & Holding Device	UL Classified fire resistant polyethylene or equivalent material, 14 quart or less, holding device designed to prevent movement and easy removal/replacement, installed in accessible	
103	Noise Suppression Switch	Meet State Standards-dash mounted	
104	Complete Parts List	Provided with Bid using factory pick list w/current cost per item (CD Preferred Windows Version only) or web based	
105	Optional Pricing	Driver - side luggage compartment (same as above)	
106	Alternate Engines (discouraged)	Alternate Engines must list HP & Torque per engine type	
107	EPA Air Pollution Requirements	Provide Detail of Engine including a written copy & diagram of the procedure for meeting current EPA Emission Requirements. List any and all equipment, tools, products, or other necessary items that WCS will be required to purchase.	
End of 84 passenger Specifications			

NAME OF BIDDER _____ BUS MFG. Make & Model _____ WCS RFB # 1423 SPECIFICATIONS FOR SPECIAL EDUCATION 22 (at 2 per seat) PASSENGER +3 WC SPECIAL ED 236-inch wheelbase CONVENTIONAL TYPE C		
STATE OF TENNESSEE SPECIFICATIONS UNLESS OTHERWISE NOTED MUST MEET ALL STATE AND FEDERAL SCHOOL BUS SPECIFICATIONS		
BRAND NAMES are used for identification and communication only, however any deviation from the specifications must be noted as an exception.		
Deliver School Buses to Williamson County Schools Transportation Bus Garage 1771 West Main Street Franklin, TN 37064		
Special ED 22 plus 3 WC Passenger Conventional type C		
BODY SPECIFICATIONS	SPECIAL ED PASSENGER TYPE C	Comments Exceptions
1. Air conditioning	120,000 total BTU minimum — Include front in wall & rear in wall bulkhead evaporators with skirt mounted condensers. Must include manufacturer's build sheet with parts & model #	
2. Backup Alarm	Minimum of 1 12 DBS rear bumper area mounted	
3. Belt Cutter	QTY 2 tie tech or safe cut	
4. Body Type	Type C W/WC lift	
5. Bus Model	2025 model or newer	
6. Capacity Design	22 + 3 WC Totaling 25 passengers plus driver	Only 2 seat belts per seat
7. Defroster Fans	2 Dual 6 " dash mounted	
8. Document Holder	plastic attached in front of overhead area	
9. Door Front Service	3 position switch Air Operated — outward opening with vandal lock	
10. Door Lift	Single Door 42" width located in rear	
11. Fenders	Yellow metal or black rubber on Rear Wheels	
12. Fire Extinguisher	5 lb. with hose	
13. First Aid Body Fluids Kit	Meeting TN Minimum standard	
14. 5 pocket barrier with safe cut pouch with broom holder	Concealed hook and loop enclosure to keep items secure in pocket in hook and loop style seat cover only; BESI or equal to be installed on the barrier seat driver side.	

Name of Bidder _____	SPECIAL ED TYPE C	Notes / Comments Exceptions
BODY SPECIFICATIONS		
15. FLOOR DESIGN SEAT & WHEELCHAIR LOCATIONS (DELIVERED 22 +3 WC Passengers)	Each seat shall be 39" in width and shall have an integrated child seat (1 I safeGuard ICS with (2) three point seat belts. ICS shall offer security of a five (5) point harness for children 22 to 85 lbs. IMMI , CE White BTI, Syn-Tec 53C or equal to or better than accepted brands. Three (3) WC stations with continuous tracking of 50" one placed at door side and the other driver side.	WCS desires only 2 seat belts per seat. WCS will use the bus as a 22 + 3 WC 25 seat capacity bus.

16. Floor Design	Include with bid submittal	
17. Floor Covering	Black rubber	
18. Floor covering	Plywood 5/8 exterior grade	
19. Hand Rails	Qty 2 - Left and Right Sides of Step well	
20. Head Line Panels	Full Length Perforated	
21. Headroom	77" Minimum	
22. Heater Rear Location	Approx. 80,000 - 88,000 BTU preferred rear wall mounted with removable filter	
23. Heaters Front & Rear	160,000 BTU min total w/removable filter, to include heavy duty booster pump for rear water circulation, dual heater cut off valves	
24. Identification Lettering	Williamson County Schools / Black on both sides	
25. Identification Numbers Model Year	3/4 x 6" Year & Unit Numbers (buyer will provide unit numbers)	
26. Identification Numbers Bus	4 total sides Front & Rear All Black on sides. Yellow on front & rear bumpers	
27. Identification Disabled Placard	Placed on WC Lift Door	
28. Insulation	1.5 " R-Value min. roof, front, rear & sides 1/2" sound absorbing form installed under driver's footboard perforated ceiling in driver's area	
29. Lamps Head	Daytime Running	
30. Lamps Front & Rear Signal	LED if available	
31. Lamps Warning	Exterior LED flush mounted or with armor	
32. Lamps Side Marker	LED	

Name of Bidder		
BODY SPECIFICATIONS	SPECIAL ED TYPE C	COMMENTS Exceptions
33. Lamps Interior	Four (4) Minimum LED	
34. Lamps Monitor	16 Light Monitor LED	
35. Lamp Strobe	LED Strobing with protective armor	
36. Lift Location	Rear Curb Side	
37. Lift Model	BRAUN MODEL, Century or Millennium or Ricon S-Series; All lifts must past WCS' Pre-delivery FMVSS403 compliancy inspection or the vehicle will not be accepted. The lift will be tested at pre-delivery by WCS with 800 lbs of weight and will be expected to lift and lower it safely 10 times.	
38. Mirror Bracket	Break - away	
39. Mirror Cross View	Roscoe Heated	
40. Mirror Head	Motorized-Heated	

41. Mirror Interior	6 x 30 with visor WITH BACK UP CAMERA	
42. Mirror Rear View	Roscoe Eurostyle	
43. Mud Flaps	Front & Rear Wheels	
44. Noise Suppression Switch	Meet State standards - dash mounted	
45. Parts Report	Access to complete list bus parts on a web-based program and in print.	
46. Passenger Reminder Location	Warning Buzzer Interior	
47. Passenger Reminder System	Shall meet or exceed all State of TN Board of Ed Standards wired to interior dome lights	
48. Radio AWMF	AM / FM Radio PA system & clock Include 4 speakers	
49.	Left blank on Purpose	
50.	Left blank on Purpose	
51.	Left blank on Purpose	
52.	Left blank on Purpose	

Name of Bidder		
BODY SPECIFICATIONS	SPECIAL ED TYPE C	COMMENTS Exceptions
53.	Left blank on Purpose	
54.	Left blank on Purpose	
55. Roof	Painted White	
56. Roof Ventilator Emergency Exit	Shall meet or exceed TN State BOE standards	
57. Rub Rails	Four (4) Each Side all painted Black	
58. School Bus Sign	Reflective Material	
59. Seat Driver's	6-Way Adjustable -Air	
60. Seat Driver's	High back; 2 arm rest (right & left)	
61. Seating Capacity	22 + 3 WC for a total of 25 passengers (plus driver) IMMI, Syn-Tec 53 C or C.E. White Seats	

62. Seats & Belts	I I Safe ICS with 2 three-point seat belts per seat	
63. Seat Spacing Knee Room	Prefer Maximum Possible — Please include knee spacing in floor plan copy	
64. Seat Upholstery	Fire Block, Heavy duty, Gray or Brown Preferred	
65. Securement Systems	Q' Straint or Sure -10k Kit Model # FF612S-4C-7 2 (2 kits); Auto Retracting — with mounted storage bags on side walls	
66. Side Panels Interior	Aluminized	
67. Solenoid ACC Body	100 Amp Minimum	
68. Steps Entrance	Koroseal White pebble top nosing 3-step	
69. Stop Sign	Strobing upper & lower LED lights	
70. System floor Track	L-Track w/debris cover for unused sections	
71. System floor Track	50 inches per chair space	
72. System floor Track	Recessed in plywood	
73. Warning Devices	Triangle	
74. Warranty Body	3 year 50,000 mile	

Name of Bidder		
BODY SPECIFICATIONS	SPECIAL ED TYPE C	COMMENTS Exceptions
75. Wheelchair Spaces	Three (3) Positioned ready to go	
76. Window Frames	Black Anodized	
77. Windows	12" x 24" minimum	
78. Windows	Dark tinted — 28% Dark	
79. Windows Emergency Exit	1 per side	
80. Windshield	Shall meet or exceed State of BOE standards shaded and tinted	
81. Windshield Cleaning	Stirrup Steps & Handles	
82. Windshield Cleaning	Bottle Washer	
83. Wipers	Electric w/ intermittent	
84. Air Compressor	18.7 CFM	
85. Air Dryer	Bendix AD- IP Heated	
86. Air Tank Drain Valve	Bendix DV -2 Heated	
87. Alternator	Minimum 270 AMP for A/C efficiency using Delco, bosch Brands 320 amp Minimum using LEECE NEVILLE BRAND	

88. Axle Bearings	Oil Bath	
89. Axle Front Rating	10,000 lbs. - 12,000 lbs.	
90. Axle Rear Rating & Ration	21,000 lbs. - 23,000 lbs.	
91. Suspension Front	Springs same as the axle	
92. Suspension Rear	Air Ride 21,000 lbs.	
93. Battery	3 group-2775 CCA OR GREATER TOTAL - 12-volt 150 AMP Circuit Breaker & Battery Cut off switch	
94. Battery Box	Must be large enough to handle above battery size as well as all cutoff switches for AC & WC lift	
95. Brakes Front Size	16.5 x 5 minimum	

Name of Bidder		
BODY SPECIFICATIONS	SPECIAL ED TYPE C	COMMENTS
96. Brakes Rear Size	16.5 x 7 minimum	
97. Brakes	Full air; Anti-lock — all wheel, outer board drum type, with auto slack adjuster	
98. Engine Block Heater	750 watts minimum with receptacle	
99. Engine Horsepower	200-250 with 600 lb. torque, in line six cylinder	
100. Engine Type	6 cylinder diesel Int'l MAXX FORCE DT - CUMMINS ISB or EQUAL that meets or exceeds the horsepower and torque requirements specified herein	
101. Engine Certification	2025 Model or Newer	
102. Engine Warning Audible	Coolant and oil	
103. EPA Air Pollution Requirements	Must meet or exceed State of TN Board of Education Specs. Must also meet or exceed all Federal and local Emission Standards	
104. Fuel Filler Door	Spring loaded	
105. Fuel Solenoid	Electronic — cut off all body circuits	
106. Fuel Tank Access Plate	Included	
107. Fuel Tank Capacity	Mounted between the frame rails tank 60-gallon	
108. Fuel mater Separator	Cummins, Racor or Equal	
109. Governor	Road Speed 65 MPH	
110. High / Low Idle Switch	Dash mounted	

111.	Keys	2 Common Ignition Keys - Keyed alike 2 Common Auxiliary Keys - Keyed alike	
112.	Steering Column	Telescoping — 4 position tilt wheel	
113.	Throttle Control	Electronic cruise control	
114.	Tire Rim Color	Black	
115.	Tire Rim Size	8.25 x 22.5	
116.	Tires & Size Range	255/70R Load Range H Low profile	

Name			
BODY SPECIFICATIONS		TYPE C SPECIAL ED	COMMENTS
117.	Tires	Goodyear, Firestone, Hankook Balanced & Aligned — Provide certificate of alignment	
118.	Tow Hooks	Front & Rear	
119.	Transmission	Allison PTS 2500 Series 5-Speed Automatic	
120.	Training	FREE TRAINING (Diagnostic & Electrical) HANDS ON FOR "ALL WCS MECHANICS" in one session	
121.	Trash Container & Holding Device	UL Classified fire resistant polyethylene or equivalent material, 14 quart or less, holding device designed to prevent movement and easy removal/replacement, installed in accessible	
122.	Warranty Air Compressor	5 year / 100,000 miles	
123.	Warranty Alternator	3 year / 50,000 miles	
124.	Warranty Axle	3 year / 50, 000 miles	
125.	Warranty Chassis	3 year / 50,000 miles	
126.	Warranty Differential	3 year / 50,000 miles	
127.	Warranty Engine	5 year — 100,000 miles	
128.	Warranty Transmission	7 year unlimited	
130.	Wheelbase	Approximately 238" wheelbase	
131.	Complete Parts List	Web based or printed paper copy to be delivered with bus	
132.		Left blank on Purpose	
133.	SCHOOL BUS GPS TRACKING	WCS will purchase this	
134.	Air Horn	Roof mounted Air Horn	
End of Specifications			