The following <u>Practice Standards</u> and <u>Literacy Skills</u> will be used throughout the course:

Standards for Mathematical Practice	Literacy Skills for Mathematical Proficiency
1. Make sense of problems and persevere in solving them.	1. Use multiple reading strategies.
2. Reason abstractly and quantitatively.	2. Understand and use correct mathematical vocabulary.
3. Construct viable arguments and critique the reasoning of others.	3. Discuss and articulate mathematical ideas.
4. Model with mathematics. $\star$	4. Write mathematical arguments.
5. Use appropriate tools strategically.	
6. Attend to precision.	
7. Look for and make use of structure.	

8. Look for and express regularity in repeated reasoning.

Standards	Evidence of Learning Statements from Instructional Focus Document
A1.A.REI.A.1 Explain each step in solving an equation as following from the	Solve linear, quadratic, and absolute value equations using multiple
equality of numbers asserted at the previous step, starting from the assumption	solution strategies and explain each step in the solution path.
that the original equation has a solution. Construct a viable argument to justify a	
solution method.	Construct a viable argument to justify a chosen solution path used to solve
	a linear, <del>quadratic, and absolute value</del> equation.
Scope and Clarifications:	
Tasks are limited to linear, quadratic, and absolute value equations with integer	Compare the steps in each and determine which solution path is most
exponents.	efficient, given an equation with multiple solution paths.
	Explain when an equation has no solution or infinitely many solutions.

Standards	Evidence of Learning Statements from Instructional Focus Document
A1.N.Q.A.1★ Use units as a way to understand problems and to guide the solution of multi- step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data	Use units to understand problems and to guide the solution path for a multi-step problem.
displays.	Choose and interpret units appropriately when solving a multistep problem, including problems that contain real-world formulas.
	Recognize the relationship between the units for all variables in a formula.
	Choose and interpret the scale and the origin in graphs and data displays.
	Determine the most appropriate data display based on the units given in a problem.
<b>A1.N.Q.A.2</b> ★Identify, Interpret, and justify appropriate quantities for the purpose of descriptive modeling.	Identify and interpret necessary information in order to select or create a quantity that models a real-world problem.
Scope and Clarifications: Descriptive modeling refers to understanding and interpreting graphs; identifying extraneous information; choosing appropriate units; etc.	Explain the meaning of individual quantities in the context of the real-world problem.
	Attend to precision when defining quantities and their units embedded in context.
	Explain and justify the relationship between solutions to contextual problems and the values used to compute the solutions.
	Appropriately interpret, explain the meaning of, and draw conclusions about the quantities in real-world problems.
	Make observations about quantities given a graph or model.
	Explain why information is extraneous in a real-world problem.
A1.N.Q.A.3 ★Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	Report a quantity with precision and accuracy.

Chandanda	Evidence of Learning Statements from
Standards	Instructional Focus Document
	Choose an appropriate level of accuracy that reflects the limitations on measurement.
	Explain the reasonableness of answers with respect to the context of the problem when reporting quantities as a result of solving the contextual problem.
	Describe the most common causes of inaccuracies in contextual problems (e.g., when using measurement tools).
<b>A1.A.SSE.A.1</b> ★ Interpret expressions that represent a quantity in terms of its context.	Interpret parts of an expression (i.e. term, factor, coefficient) embedded in a real-world situation and explain each part in terms of the context.
<b>a.</b> Interpret parts of an expression, such as terms, factors, and coefficients.	Interpret parts of an expression (i.e. term, factor, and coefficient) and explain each part in terms of the function the expression defines.
Scope and Clarifications: For example, interpret $P(1 + r)^n$ as the product of P and a factor not depending on P.	Explain the structure of an expression and how each term is related to the other terms by interpreting the arithmetic meaning of each term in the expression and recognizing when combining like terms is appropriate.
	Interpret an expression by describing each individual term as a single entity and the relationship to the expression.
<b>A1.A.CED.A.1</b> Create equations and inequalities in one variable and use them to solve problems.	Create and solve a one variable linear, quadratic, or exponential equation that represents a real-world situation.
Scope and Clarifications: Tasks are limited to linear, quadratic, or exponential equations with integer exponents.	Create and solve a one-variable linear inequality that represents a real- world situation.
	Create and solve a one-variable quadratic or exponential inequality that represents a simple real-world situation.
<b>A1.A.REI.B.2</b> Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.	Solve linear equations in one variable with coefficients represented by letters.
	Solve multi-step linear equations.

Standards	Evidence of Learning Statements from Instructional Focus Document
	Solve multi-step linear inequalities in one variable.
<ul> <li>A1.A.CED.A.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations.</li> <li>Scope and Clarifications: <ul> <li>i) Tasks are limited to linear, quadratic, and exponential equations with integer exponents.</li> </ul> </li> </ul>	Rearrange real-world quadratic formulas to highlight a quantity of interest. Rearrange real-world exponential formulas to highlight a quantity of interest.
<ul> <li><i>ii) Tasks have a real-world context.</i></li> <li>A1.A.CED.A.3 Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or nonviable options in a modeling context.</li> <li>Scope and Clarifications: For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.</li> </ul>	Write an equation or inequality that models the constraint on a variable given a contextual problem.Explain constraints on a variable in context of a real-world problem and interpret solutions to determine the viability by using a graph, table, and equation.Justify solutions that model real-world problems when there are limitations on a variable.
A1.F.IF.B.3 ★For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Scope and Clarifications: Key features include intercepts, intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.	<ul> <li>Interpret solutions as viable or nonviable options in a modeling context using multiple representations (i.e. table, graph, equation).</li> <li>Identify all evident intercepts, maximums and minimums when provided a table of values representing an exponential function with domain in the integers.</li> <li>Identify all evident key features when provided a table of values representing a linear, quadratic, or absolute value equation.</li> <li>Identify key features of the graph or table and interpret the meaning of the key features in relationship to the context of the problem, given a graph or table of values representing a quadratic function embedded in a real-world context.</li> </ul>

Chan danda	Evidence of Learning Statements from
Standards	Instructional Focus Document
	identify key features of the graph or table and interpret the meaning of the key features in relationship to the context of the problem, given a graph or table of values representing an absolute value function embedded in a real- world context.
	Identify key features of the graph and interpret the meaning of the key features in relation to the context of the problem, given a graph of an exponential function with domain in the integers embedded in a real-world context.
	Sketch a graph of the function, given a verbal description of the key features of a quadratic or absolute value function.
A1.F.IF.A.1 Understand that a function from one set (called the domain) to	Create an example of a function using a set of ordered pairs, a graph, and a
another set (called the range) assigns to each element of the domain exactly one	table of values to show the correspondence between one input value
element of the range. If $f$ is a function and $x$ is an element of its domain, then $f(x)$	(domain) and one output value (range).
denotes the output of $f$ corresponding to the input $x$ . The graph of $f$ is the graph	
of the equation $y = f(x)$ .	Explain the meaning of a function using correct mathematical vocabulary.
<b>A1.F.IF.A.2</b> Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.	Given a function that represents a real-world problem, determine what each variable represents.
and interpret statements that use function notation in terms of a context.	
	Given a function that represents a real-world problem, interpret the
	meaning of output values when given input values and vice versa.
	Use multiple representations to model a function in a real-world situation.
<b>A1.F.IF.B.4</b> $\star$ Relate the domain of a function to its graph and, where applicable,	Explain how the domain relates to the graph of a function.
to the quantitative relationship it describes.	
	Explain why a function is continuous or discrete given an equation.
Scope and Clarifications:	
For example, if the function $h(n)$ gives the number of person-hours it takes to	Describe how a function's domain is affected when situated within a
assemble n engines in a factory, then the positive integers would be an	context.
appropriate domain for the function.	Evaluia if a function is continuous andiameter airea a contact
	Explain if a function is continuous or discrete, given a context.

Standards	Evidence of Learning Statements from
Stanuarus	Instructional Focus Document
A1.F.LE.A.2★ Construct linear and exponential functions, including arithmetic	Construct a linear function given a graph.
and geometric sequences, given a graph, a description of a relationship, or two	
input-output pairs (include reading these from a table.)	Construct a linear function given a table of values.
Scope and Clarifications:	Construct a linear function given a description of a simple real-world
Tasks are limited to constructing linear and exponential functions in simple context (not multi-step).	relationship.
	Construct a linear function given a set of input-output pairs (ordered pairs).
	Construct a linear <del>or exponential function</del> given an arithmetic <del>or geometric</del>
	sequence or a description of one.
A1.F.BF.A.1  Write a function that describes a relationship between two	Write a function defined by an expression to model a linear relationship,
quantities.	given a real-world context.
<b>a.</b> Determine an explicit expression, a recursive process, or steps for calculation	
from a context.	Write a function defined by an expression to model a quadratic
	relationship, given a real-world context.
Scope and Clarifications:	
i) Tasks have a real-world context.	Write a function defined by an expression to model an exponential
ii) Tasks are limited to linear functions, quadratic functions, and exponential	relationship with domain in the integers, given a real-world context.
functions with domains in the integers.	
	Compare key characteristics of real-world contexts that can be described by
	various types of functions.

Standards	Evidence of Learning Statements from Instructional Focus Document
<b>A1.F.LE.A.1</b> ★ Distinguish between situations that can be modeled with linear functions and with exponential functions.	Recognize that linear functions have a constant rate of change, while exponential functions do not.
<ul> <li>a. Recognize that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals.</li> <li>b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.</li> <li>c. Recognize situations in which a quantity grows or decays by a constant factor per unit interval relative to another.</li> </ul>	Informally show or explain that linear functions grow by adding the same number per unit. This should be done algebraically, graphically, and using words in context of a real-world application. Determine if a given real-world situation has a constant rate of change and can be modeled by a linear function.
A1.F.LE.B.4 ★Interpret the parameters in a linear or exponential function in terms of a context.	Explain the meaning of the slope and y-intercept in context of the real- world situation, given a linear function.
Scope and Clarifications: For example, the total cost of an electrician who charges 35 dollars for a house call and 50 dollars per hour would be expressed as the function y = 50x + 35. If the rate were raised to 65 dollars per hour, describe how the function would change. i) Tasks have a real-world context.	Predict and determine how a linear function is affected by a change in the slope or y-intercept. Explain this change in context.
<b>A1.F.IF.C.6</b> Graph functions expressed symbolically and show key features of the graph, by hand and using technology.	Graph a linear function by hand and using technology and identify the slope and intercepts.
<b>a.</b> Graph linear <del>and quadratic</del> functions and show intercepts, <del>maxima, and minima</del> .	Attend to precision when illustrating intercepts, <del>maxima, and minima</del> and determine the domain and range of the function.
<b>A1.A.REI.D.5</b> Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).	Find a set of solutions that can be used to create the graph, given an equation.

- · · ·	Evidence of Learning Statements from
Standards	Instructional Focus Document
	Interpret the graph of an equation as the solution set to the equation with
	two variables.
	Explain why the points on a curve (or line) would be continuous.
	Explain the relationship between the graphical representation and the
	solutions (ordered pairs) to the equation, given a real-world situation.
A1.A.CED.A.2 Create equations in two or more variables to represent	Create and graph a two-variable linear, quadratic, exponential, absolute
relationships between quantities; graph equations with two variables on	value, step, or piecewise equation that represents a mathematical
coordinate axes with labels and scales.	situation.
<b>A1.F.BF.B.2</b> Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k f(x)$ ,	Describe the effect on the graph for specific values of k, given two
f(kx), and $f(x + k)$ for specific values of k (both positive and negative); find the	functions, $f(x)$ and $f(x) + k$ .
value of k given the graphs. Experiment with cases and illustrate an explanation	
of the effects on the graph using technology.	Describe the effect on the graph for specific values of k, given two functions, $f(x)$ and $k(x)$ .
Scope and Clarifications:	
i) Identifying the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k f(x)$ , and $f(x+k)$	Describe the effect on the graph for specific values of k, given two
for specific values of k (both positive and negative) is limited to linear, quadratic,	functions, $f(x)$ and $f(x + k)$ .
and absolute value functions.	Determine the value of <i>k</i> for a specific vertical or herizontal translation or
ii) ƒ(kx) will not be included in Algebra 1. It is addressed in Algebra 2.	Determine the value of $k$ for a specific vertical or horizontal translation or vertical stretch or compression, given two graphs, the image and pre- image.
iii) Experimenting with cases and illustrating an explanation of the effects on the	
graph using technology is limited to linear functions, quadratic functions,	Describe multiple effects on a graph for specific values of a, h, and k given
absolute value, and exponential functions with domains in the integers.	two functions, $f(x)$ and $a(x + h) + k$ .
iv) Tasks do not involve recognizing even and odd functions.	
<b>A1.F.IF.B.4</b> ★Relate the domain of a function to its graph and, where applicable,	Explain how the domain relates to the graph of a function.
to the quantitative relationship it describes.	
	Explain why a function is continuous or discrete given an equation.
Scope and Clarifications:	

Standards	Evidence of Learning Statements from
	Instructional Focus Document
For example, if the function h(n) gives the number of person-hours it takes to	Describe how a function's domain is affected when situated within a
assemble n engines in a factory, then the positive integers would be an	context.
appropriate domain for the function.	
	Explain if a function is continuous or discrete, given a context.
A1.F.IF.C.8 Compare properties of two functions each represented in a different	Compare properties of two exponential functions each represented in a
way (algebraically, graphically, numerically in tables, or by verbal descriptions).	different way.
Scope and Clarifications:	Compare properties of two piecewise-defined functions each represented
i) Tasks have a real-world context.	in a different way.
ii) Tasks are limited to linear functions, <del>quadratic functions, piecewise-defined</del>	Compare properties of two quadratic functions each represented in a
functions (including step functions and absolute value functions),	different way.
and exponential functions with domains in the integers.	
	Compare properties of two functions from different function families each
	represented in a
	different way.
A1.S.ID.C.5 Interpret the slope (rate of change) and the intercept (constant	Interpret the slope of a linear model in the context of the data.
term) of a linear model in the context of the data.	
	Interpret the y-intercept of a linear model in the context of the data.
A1.A.CED.A.3 Represent constraints by equations or inequalities, and by systems	Write an equation or inequality that models the constraint on a variable
of equations and/or inequalities, and interpret solutions as viable or nonviable	given a contextual problem.
options in a modeling context.	
	Explain constraints on a variable in context of a real-world problem and
Scope and Clarifications:	interpret solutions to determine the viability by using a graph, table, and
For example, represent inequalities describing nutritional and cost constraints on	equation.
combinations of different foods.	
	Justify solutions that model real-world problems when there are limitations
	on a variable.
	Interpret solutions as viable or nonviable options in a modeling context
	using multiple representations (i.e. table, graph, equation).
A1.N.Q.A.1 Use units as a way to understand problems and to guide the	Use units to understand problems and to guide the solution path for a
solution of multi- step problems; choose and interpret units consistently in	multi-step problem.

Standards	Evidence of Learning Statements from Instructional Focus Document
formulas; choose and interpret the scale and the origin in graphs and data displays.	Choose and interpret units appropriately when solving a multistep problem, including problems that contain real-world formulas.
	Recognize the relationship between the units for all variables in a formula.
	Choose and interpret the scale and the origin in graphs and data displays.
	Determine the most appropriate data display based on the units given in a problem.
<b>A1.A.REI.D.6</b> $\star$ Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ ; find the approximate solutions using technology.	Approximate the solution(s) for $f(x) = g(x)$ using technology when $f(x)$ and $g(x)$ are linear, quadratic, absolute value or exponential, given two equations $f(x)$ and $g(x)$ embedded in a real-world situation.
Scope and Clarifications: Include cases where $f(x)$ and/or $g(x)$ are linear, quadratic, absolute value, and exponential functions. For example, $f(x) = 3x + 5$ and $g(x) = x^2 + 1$ . Exponential functions are limited to domains in the integers.	Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ .
<b>A1.A.REI.D.7</b> Graph the solutions to a linear inequality in two variables as a half- plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.	Graph the solutions to a linear inequality in two variables as a half-plane.
A1.WCE.1 Classify graphs and equations into the appropriate function families, limited to linear, quadratic, absolute value, square root, cube root, exponential, and cubic.	Classify graphs and equations into the appropriate function families, limited to linear, quadratic, absolute value, square root, cube root, exponential, and cubic.
<b>A1.F.IF.C.8</b> Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	Compare properties of two exponential functions each represented in a different way.
Scope and Clarifications: i) Tasks have a real-world context.	Compare properties of two piecewise-defined functions each represented in a different way.

Standards	Evidence of Learning Statements from
	Instructional Focus Document
ii) Tasks are limited to linear functions, quadratic functions, piecewise-defined	Compare properties of two quadratic functions each represented in a
functions (including step functions and absolute value functions),	different way.
and exponential functions with domains in the integers.	
	Compare properties of two functions from different function families each
	represented in a
	different way.

Chandanda	Evidence of Learning Statements from
Standards	Instructional Focus Document
<b>A1.S.ID.A.1</b> Represent single or multiple data sets with dot plots, histograms, stem plots (stem and leaf), and box plots.	Create parallel or side-by-side box plots or histograms with the same scale.
	Determine which type of data plot would be most appropriate for a set of data.
	Use real-world data (represented in a table) to create dot plots, histograms, stem plots, or box plots.
	Use technology to represent single or multiple data sets with dot plots, histograms, stem plots (stem and leaf), and box plots.
<b>A1.S.ID.A.2</b> Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range,	Explain similarities and differences using specific measures of central tendency and measures of
standard deviation) of two or more different data sets.	dispersion, given two or more data sets.
	Determine within how many standard deviations above or below the mean a data value is.
A1.S.ID.A.3 Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data	Choose which measure(s) are most appropriate for comparison based on the shape of the distribution.
points (outliers).	Describe the impact of an outlier on the center and spread of a data set.
<b>A1.N.Q.A.1</b> ★ Use units as a way to understand problems and to guide the solution of multi- step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data	Use units to understand problems and to guide the solution path for a multi- step problem.
displays.	Choose and interpret units appropriately when solving a multistep problem, including problems that contain real-world formulas.
	Recognize the relationship between the units for all variables in a formula.
	Choose and interpret the scale and the origin in graphs and data displays.

Standards	Evidence of Learning Statements from
Stanuarus	Instructional Focus Document
	Determine the most appropriate data display based on the units given in a problem.
<b>A1.S.ID.B.4</b> Represent data on two quantitative variables on a scatter plot and describe how the variables are related.	Fit an exponential function to a given set of data, where exponential functions are limited to domains in the integers.
<b>a.</b> Fit a function to the data; use functions fitted to data to solve problems in the context of the data. Use given functions or choose a function suggested by the context.	Solve problems using a linear or exponential function in the context of the data, where exponential functions are limited to domains in the integers.
<b>b.</b> Fit a linear function for a scatter plot that suggests a linear association.	Describe the similarities and differences between their chosen line of best fit and the line of best fit created using technology, given a scatter plot.
<b>A1.S.ID.C.6</b> Use technology to compute and interpret the correlation coefficient of a linear fit.	Using technology to calculate the correlation coefficient of a linear fit in mathematical problems.
	Interpret the correlation coefficient of a linear fit in mathematical problems.
A1.S.ID.C.7 Distinguish between correlation and causation.	Explain why a strong correlation does not imply causation.
	Distinguish variables that are correlated because one is a cause of another and justify their reasoning.
A1.A.REI.C.4 Write and solve a system of linear equations in context.	Solve a system of linear equations in two variables algebraically using the substitution method.
Scope and Clarifications: Solve systems both algebraically and graphically. Systems are limited to at most two equations in two variables.	Solve a system of linear equations in two variables algebraically using the elimination method.
	Write a system of linear equations in two variables given a real-world context.
	Interpret the solution of a system of linear equations in two variables in relationship to a context.
	Justify why a system of linear equations in two variables may have one solution, no solutions, or infinitely many solutions.

Standards	Evidence of Learning Statements from
	Instructional Focus Document
A1.A.CED.A.3 Represent constraints by equations or inequalities, and by	Write an equation or inequality that models the constraint on a variable given
systems of equations and/or inequalities, and interpret solutions as viable	a contextual problem.
or nonviable options in a modeling context.	
	Write a system of equations or inequalities that models the constraint on a
Scope and Clarifications:	variable given a contextual problem.
For example, represent inequalities describing nutritional and cost	
constraints on combinations of different foods.	Explain constraints on a variable in context of a real-world problem and
	interpret solutions to determine the viability by using a graph, table, and equation.
	equation.
	Justify solutions that model real-world problems when there are limitations on
	a variable.
	Interpret solutions as viable or nonviable options in a modeling context using
	multiple representations (i.e. table, graph, equation).
A1.A.REI.D.7 Graph the solutions to a linear inequality in two variables as	Graph the solution set to a system of two linear inequalities in two variables as
a half-plane (excluding the boundary in the case of a strict inequality), and	the intersection of the corresponding half-planes
graph the solution set to a system of linear inequalities in two variables as	
the intersection of the corresponding half-planes.	
A1.F.IF.C.6 Graph functions expressed symbolically and show key features	Graph a piecewise-defined functions, including step functions and absolute
of the graph, by hand and using technology.	value functions by hand and using technology.
<b>b.</b> Graph <del>square root, cube root, and</del> piecewise-defined functions,	Attend to precision when illustrating intercepts, maxima, and minima and
including step functions and absolute value functions.	determine the domain and range of the function.
<b>A1.F.BF.B.2</b> Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , k	Describe the effect on the graph for specific values of k, given two functions,
f(x), $f(kx)$ , and $f(x + k)$ for specific values of k (both positive and negative);	f(x) and $f(x) + k$ .
find the value of <i>k</i> given the graphs. Experiment with cases and illustrate	
an explanation of the effects on the graph using technology.	Describe the effect on the graph for specific values of k, given two functions,
	f(x) and $kf(x)$ .
Scope and Clarifications:	
i) Identifying the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k f(x)$ , and	Describe the effect on the graph for specific values of k, given two functions,
f(x+k) for specific values of k (both positive and negative) is limited to	f(x) and $f(x + k)$ .
linear, quadratic, and absolute value functions.	

Standards	Evidence of Learning Statements from Instructional Focus Document
ii) ƒ(kx) will not be included in Algebra 1. It is addressed in Algebra 2.	Determine the value of $k$ for a specific vertical or horizontal translation or vertical stretch or compression, given two graphs, the image and pre-image.
iii) Experimenting with cases and illustrating an explanation of the effects on the graph using technology is limited to linear functions, quadratic functions, absolute value, and exponential functions with domains in the integers.	Describe multiple effects on a graph for specific values of a, h, and k given two functions, $f(x)$ and $af(x + k)$ . + k.
iv) Tasks do not involve recognizing even and odd functions.	
<b>A1.F.IF.B.3</b> For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal	Identify all evident key features when provided a table of values representing a linear, quadratic, or absolute value equation.
description of the relationship.	Identify key features of the graph or table and interpret the meaning of the
Scope and Clarifications:	key features in relationship to the context of the problem, given a graph or table of values representing an absolute value function embedded in a real-
Key features include: intercepts; intervals where the function is increasing,	world context.
decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior.	Sketch a graph of the function, given a verbal description of the key features of <del>a quadratic or</del> absolute value function.
i) Tasks have a real-world context.	
ii) Tasks are limited to linear functions, quadratic functions, absolute value functions, and exponential functions with domains in the integers.	
A1.A.REI.D.6 Explain why the x-coordinates of the points where the graphs	Approximate the solution(s) for $f(x) = g(x)$ using technology when $f(x)$ and $g(x)$
of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ ; find the approximate solutions using technology.	are linear, quadratic, absolute value or exponential, given two equations f(x) and g(x) embedded in a real-world situation.
Scope and Clarifications:	
Include cases where $f(x)$ and/or $g(x)$ are linear, quadratic, absolute value,	Explain why the x-coordinates of the points where the graphs of the equations
and exponential functions. For example, $f(x) = 3x + 5$ and $g(x) = x^2 + 1$ . Exponential functions are limited to domains in the integers.	y = f(x) and y = g(x) intersect are the solutions of the equation f(x) = g(x).
<b>A1.A.REI.A.1</b> Explain each step in solving an equation as following from the	Solve <del>linear, quadratic</del> , and absolute value equations using multiple solution
equality of numbers asserted at the previous step, starting from the	strategies and explain each step in the solution path.

Standards	Evidence of Learning Statements from
Stanuarus	Instructional Focus Document
assumption that the original equation has a solution. Construct a viable	
argument to justify a solution method.	Construct a viable argument to justify a chosen solution path used to solve a
	linear, quadratic, and absolute value equation.
Scope and Clarifications:	
Tasks are limited to linear, quadratic, and absolute value equations with	Compare the steps in each and determine which solution path is most
integer exponents.	efficient, given an equation with multiple solution paths.
	Explain when an equation has no solution or infinitely many solutions.
A1.A.CED.A.2 Create equations in two or more variables to represent	Create and graph a two-variable linear, quadratic, exponential, absolute value,
relationships between quantities; graph equations with two variables on coordinate axes with labels and scales.	step, or piecewise equation that represents a mathematical situation.
A1.WCE.2	Assess the line of fit for the function based on the residual plot.
Informally assess the fit of a function by plotting and analyzing residuals.	
	Compute the residuals (observed value minus predicted value) for the set of
This standard can be embedded with A1.S.ID.B.4	data and the function of best fit.
	Construct a scatter plot of the residuals.
A1.WCE.3	Construct the equation of piecewise functions given the graph of the function.
Write the equation of piecewise functions given the graph.	

	Evidence of Learning Statements from
Standards	Instructional Focus Document
A1.F.LE.A.2 ★Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a	Construct an exponential function given a graph.
relationship, or two input-output pairs (include reading these from a table).	Construct an exponential function given a table of values.
Scope and Clarifications: Tasks are limited to constructing linear and exponential functions in simple context (not multi-step).	Construct an exponential function given a description of a simple real- world relationship
	Construct an exponential function given a set of input-output pairs (ordered pairs).
	Construct a function given an arithmetic or geometric sequence or a description of one.
<b>A1.F.LE.A.3</b> Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	Compare the end behavior of graphs of lines, quadratics, polynomials, and exponentials to determine which increases faster.
	Find and compare the average rate of change of lines, quadratics, polynomials, and exponentials over equal intervals and make conclusions.
	Defend why a quantity increasing exponentially will eventually exceed a linear, quadratic, or polynomial
	function and justify their conclusion by testing values.
<b>A1.F.BF.A.1</b> Write a function that describes a relationship between two quantities.	Write a function defined by an expression to model a linear relationship, given a real-world
<ul> <li>a. Determine an explicit expression, a recursive process, or steps for calculation from a context.</li> </ul>	<del>context.</del>
	Write a function defined by an expression to model an exponential
Scope and Clarifications:	relationship with domain in the
i) Tasks have a real-world context.	integers, given a real-world context.
ii) Tasks are limited to linear functions, quadratic functions, and exponential functions with domains in the integers.	Compare key characteristics of real-world contexts that can be described by various types of

Standards	Evidence of Learning Statements from Instructional Focus Document
	functions.
<b>A1.A.CED.A.2</b> Create equations in two or more variables to represent relationships between quantities; graph equations with two variables on coordinate axes with labels and scales.	Create and graph a two-variable linear, quadratic, exponential, absolute value, step, or piecewise equation that represents a mathematical situation.
<b>A1.F.BF.B.2</b> Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k = f(x)$ , $f(kx)$ , and $f(x + k)$ for specific values of $k$ (both positive and negative); find the value of $k$ given the graphs. Experiment with cases and illustrate an	Describe the effect on the graph for specific values of k, given two functions, $f(x)$ and $f(x) + k$ .
explanation of the effects on the graph using technology.	Describe the effect on the graph for specific values of k, given two functions, $f(x)$ and $kf(x)$ .
Scope and Clarifications: i) Identifying the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k f(x)$ , and f(x+k) for specific values of $k$ (both positive and negative) is limited to linear, quadratic, and absolute value functions.	Describe the effect on the graph for specific values of k, given two functions, $f(x)$ and $f(x + k)$ .
ii) f(kx) will not be included in Algebra 1. It is addressed in Algebra 2.	Determine the value of $k$ for a specific vertical or horizontal translation or vertical stretch or compression, given two graphs, the image and pre- image.
<i>iii) Experimenting with cases and illustrating an explanation of the effects on the graph using technology is limited to linear functions, quadratic functions, absolute value, and exponential functions with domains in the integers.</i>	Describe multiple effects on a graph for specific values of a, h, and k given two functions, $f(x)$ and $af(x + k)$ . + k.
iv) Tasks do not involve recognizing even and odd functions.	
<b>A1.A.SSE.B.3</b> Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.	Generate an equivalent form of the exponential expression and identify the properties of exponents used to generate the equivalent expression, for an exponential expression embedded in a real-world context.
c. Use the properties of exponents to rewrite exponential expressions.	
Scope and Clarifications: For example, the growth of bacteria can be modeled by either $f(t) = 3^{(t+2)}$ or $g(t) = 9(3^t)$ because the expression $3^{(t+2)}$ can be rewritten as $(3^t)(3^2) = 9(3^t)$ .	

Standards	Evidence of Learning Statements from
	Instructional Focus Document
i) Tasks have a real-world context. As described in the standard, there is an	
interplay between the mathematical structure of the expression and the	
structure of the situation such that choosing and producing an equivalent	
form of the expression reveals something about the situation.	
ii) Tasks are limited to exponential expressions with integer exponents.	
A1.F.LE.A.1 ★Distinguish between situations that can be modeled with	Informally show or explain that exponential functions grow by multiplying
linear functions and with exponential functions.	the same factor per unit. This should be done algebraically, graphically,
	and using words in context of a real-world application.
a. Recognize that linear functions grow by equal differences over equal	
intervals, and that exponential functions grow by equal factors over equal	Determine if a given real-world situation can be modeled by an
intervals.	exponential function.
<b>b.</b> Recognize situations in which one quantity changes at a constant rate per	Determine if a given real-world situation that can be modeled by an
unit interval relative to another.	exponential function represents growth or decay.
<b>c.</b> Recognize situations in which a quantity grows or decays by a constant	
factor per unit interval relative to another.	
A1.F.LE.B.4 Interpret the parameters in a linear or exponential function in	Given an exponential function with a domain in the integers, explain the
terms of a context.	meaning of the coefficient, the base, and the exponent in context of the
	real-world situation.
Scope and Clarifications:	
For example, the total cost of an electrician who charges 35 dollars for a	Predict and determine how an exponential function is affected by a change
house call and 50 dollars per hour would be expressed as the function y =	in the coefficient, base, or exponent. Explain this change in context.
50x +35. If the rate were raised to 65 dollars per hour, describe how the	
function would change.	
i) Tasks have a real-world context.	
ii) Exponential functions are limited to those with domains in the integers	
A1.A.SSE.A.1 ★Interpret expressions that represent a quantity in terms of	Interpret parts of an expression (i.e. term, factor, coefficient) embedded in
its context.	a real-world situation and explain each part in terms of the context.

Standards	Evidence of Learning Statements from Instructional Focus Document
<b>a.</b> Interpret parts of an expression, such as terms, factors, and coefficients.	Interpret parts of an expression (i.e. term, factor, and coefficient) and explain each part in terms of the function the expression defines.
<b>b.</b> Interpret complicated expressions by viewing one or more of their parts	explain each part in terms of the function the expression dennes.
as a single entity.	Explain the structure of an expression and how each term is related to the other terms by
Scope and Clarifications:	interpreting the arithmetic meaning of each term in the expression and
For example, interpret $P(1+r)^n$ as the product of P and a factor not depending on P.	recognizing when combining like terms is appropriate.
	Interpret an expression by describing each individual term as a single
	entity and the relationship to the expression.
<b>A1.A.APR.A.1</b> Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition,	Add polynomial expressions.
subtraction, and multiplication; add, subtract, and multiply polynomials.	Subtract two polynomial expressions.
	Multiply polynomial expressions.
	Explain what it means for polynomials to be closed under the operations of
	addition, subtraction,
	and multiplication.
<b>A1.A.SSE.A.2</b> Use the structure of an expression to identify ways to rewrite it.	Rewrite numerical and polynomial expressions in a different form and explain why rewriting the expression in that form is beneficial.
Scope and Clarifications:	For clarification, refer to Level 1 and Level 2 Evidence of Learning
For example, recognize $53^2 - 47^2$ as a difference of squares and see an	Statements <u>here</u> to see the progression of what we want our students to
opportunity to rewrite it in the easier-to-evaluate form $(53 + 47) (53 - 47)$ .	know.
See an opportunity to rewrite $a^2 + 9a + 14$ as $(a + 7)(a + 2)$ .	
A1.F.IF.B.3 ★For a function that models a relationship between two	Identify all evident key features when provided a table of values
quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal	representing a linear, quadratic <del>, or absolute value equation.</del>
description of the relationship.	Identify all evident intercepts, maximums and minimums when provided a table of values representing an exponential function with domain in the
Scope and Clarifications:	integers.

Standards	Evidence of Learning Statements from Instructional Focus Document
Key features include intercepts, intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.	Identify key features of the graph or table and interpret the meaning of the key features in relationship to the context of the problem, given a graph or table of values representing a quadratic function embedded in a real-world context.
	Identify key features of the graph or table and interpret the meaning of the key features in relationship to the context of the problem, given a graph or table of values representing an absolute value function embedded in a real-world context.
	Identify key features of the graph and interpret the meaning of the key features in relationship to the context of the problem, given a graph of an exponential function with domain in the integers embedded in a real- world context.
	Sketch a graph of the function, given a verbal description of the key features of a quadratic or absolute value function.
<b>A1.A.CED.A.2</b> Create equations in two or more variables to represent relationships between quantities; graph equations with two variables on coordinate axes with labels and scales.	Create and graph a two variable linear, quadratic, exponential, absolute value, step, or piecewise equation that represents a mathematical situation.
<b>A1.F.BF.B.2</b> Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k$ $f(x)$ , $f(kx)$ , and $f(x + k)$ for specific values of $k$ (both positive and negative); find the value of $k$ given the graphs. Experiment with cases and illustrate an	Describe the effect on the graph for specific values of k, given two functions, $f(x)$ and $f(x) + k$ .
explanation of the effects on the graph using technology.	Describe the effect on the graph for specific values of k, given two functions, $f(x)$ and $k(x)$ .
Scope and Clarifications: i) Identifying the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k f(x)$ , and $f(x+k)$ for specific values of $k$ (both positive and negative) is limited to linear, quadratic, and absolute value functions.	Describe the effect on the graph for specific values of k, given two functions, $f(x)$ and $f(x + k)$ .
ii) ƒ(kx) will not be included in Algebra 1. It is addressed in Algebra 2.	Determine the value of $k$ for a specific vertical or horizontal translation or vertical stretch or compression, given two graphs, the image and pre- image.

Standards	Evidence of Learning Statements from Instructional Focus Document
<i>iii) Experimenting with cases and illustrating an explanation of the effects on the graph using technology is limited to linear functions, quadratic functions, absolute value, and exponential functions with domains in the integers.</i>	Describe multiple effects on a graph for specific values of a, h, and k given two functions, $f(x)$ and $a(x + h) + k$ .
iv) Tasks do not involve recognizing even and odd functions.	
<b>A1.F.IF.A.2</b> Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.	Given a function that represents a real-world problem, determine what each variable represents.
	Given a function that represents a real-world problem, interpret the meaning of output values when given input values and vice versa.
	Use multiple representations to model a function in a real-world situation.
<ul> <li>A1.F.BF.A.1 Write a function that describes a relationship between two quantities.</li> <li>a. Determine an explicit expression, a recursive process, or steps for calculation from a context.</li> </ul>	Write a function defined by an expression to model a linear relationship, given a real-world context.
Scope and Clarifications:	Write a function defined by an expression to model a quadratic relationship, given a real-world
i) Tasks have a real-world context.	context.
<i>ii) Tasks are limited to linear functions, quadratic functions, and exponential functions with domains in the integers.</i>	Write a function defined by an expression to model an exponential relationship with domain in the integers, given a real-world context.
	Compare key characteristics of real-world contexts that can be described by various types of functions.
<b>A1.F.IF.C.7</b> Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.	Interpret the meaning of zeros, y-intercept, extreme value, and the axis of symmetry in the context of a real-word problem.
	Recognize which form of a quadratic function is most appropriate for revealing certain properties, when given a real-world problem.

Standards	Evidence of Learning Statements from
	Instructional Focus Document
a. Use the process of factoring and completing the square in a quadratic	
function to show zeros, extreme values, and symmetry of the graph, and	
interpret these in terms of a context.	
A1.F.IF.C.6 Graph functions expressed symbolically and show key features	Graph a quadratic function by hand and using technology identifying
of the graph, by hand and using technology.	intercepts, maxima, and minima.
<b>a.</b> Graph linear and quadratic functions and show intercepts, maxima, and	Attend to precision when illustrating intercepts, maxima, and minima and
minima.	determine the domain and range of the function.
A1.A.APR.B.2 Identify zeros of polynomials when suitable factorizations are	Identify the zeros of a polynomial equation of degree 3 or greater when
available and use the zeros to construct a rough graph of the function defined by the polynomial.	the factorization is provided.
, , ,	Find the zeros of a quadratic equation and use them to graph the
Scope and Clarifications:	quadratic equation.
Graphing is limited to linear and quadratic polynomials.	
<b>A1.A.REI.B.3</b> Solve quadratic equations and inequalities in one variable.	Solve quadratic equations in one variable using multiple strategies.
<b>b.</b> Solve quadratic equations by inspection ( <i>e.g., for</i> $x^2 = 49$ ), taking square	Determine if a quadratic equation in one-variable has real solutions or
roots, completing the square, knowing and applying the quadratic formula,	complex solutions.
and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions.	
<b>A1.A.SSE.B.3</b> $\star$ Choose and produce an equivalent form of an expression to	Factor a quadratic expression to reveal the zeros of the function it defines.
reveal and explain properties of the quantity represented by the	
expression.	Identify equivalent forms of quadratic expressions.
<b>a.</b> Factor a quadratic expression to reveal the zeros of the function it	Determine the maximum or minimum value of a function defined by a
defines.	quadratic expression in the form $Ax^2 + Bx + C$ by completing the square.
<b>b.</b> Complete the square in a quadratic expression in the form $Ax^2 + Bx + C$ to reveal the maximum or minimum value of the function it defines.	
<b>A1.A.SSE.A.2</b> Use the structure of an expression to identify ways to rewrite	Rewrite numerical and polynomial expressions in a different form and
it.	explain why rewriting the expression in that form is beneficial.
Scope and Clarifications:	

Standards	Evidence of Learning Statements from Instructional Focus Document
For example, recognize $53^2 - 47^2$ as a difference of squares and see an opportunity to rewrite it in the easier-to-evaluate form $(53 + 47) (53 - 47)$ . See an opportunity to rewrite $a^2 + 9a + 14$ as $(a + 7)(a + 2)$ .	
<b>A1.A.CED.A.1</b> Create equations and inequalities in one variable and use them to solve problems.	Create and solve a one variable <del>linear</del> , quadratic, or exponential equation that represents a real-world situation.
Scope and Clarifications: Tasks are limited to linear, quadratic, or exponential equations with integer exponents.	Create and solve a one-variable linear inequality that represents a real- world situation.
	Create and solve a one-variable quadratic or exponential inequality that represents a simple real-world situation.
<b>A1.A.REI.B.3</b> Solve quadratic equations and inequalities in one variable.	Use the method of completing the square to rewrite a quadratic equation when $a = 1$ , in the form of $(x - p)^2 = q$ .
<b>a.</b> Use the method of completing the square to rewrite any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.	Use the method of completing the square to rewrite a quadratic equation when $a \neq 1$ , in the form of $(x - p)^2 = q$ .
<b>b.</b> Solve quadratic equations by inspection ( <i>e.g., for</i> $x^2 = 49$ ), taking square roots, completing the square, knowing and applying the quadratic formula, and factoring, as appropriate to the initial form of the equation. Recognize	Derive the quadratic formula from standard form using the method of completing the square and explain the steps.
when the quadratic formula gives complex solutions.	Solve quadratic equations in one variable using multiple strategies.
	Determine if a quadratic equation in one-variable has real solutions or complex solutions.
	Solve a simple quadratic inequality when a =1 in one variable.
<b>A1.A.SSE.B.3</b> ★Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the	Factor a quadratic expression to reveal the zeros of the function it defines.
expression.	Identify equivalent forms of quadratic expressions.
<b>a.</b> Factor a quadratic expression to reveal the zeros of the function it defines.	Determine the maximum or minimum value of a function defined by a quadratic expression in the form $Ax^2 + Bx + C$ by completing the square

Standards	Evidence of Learning Statements from Instructional Focus Document
<b>b.</b> Complete the square in a quadratic expression in the form $Ax^2 + Bx + C$ to reveal the maximum or minimum value of the function it defines.	
<b>A1.F.IF.C.7</b> Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.	Interpret the meaning of zeros, y-intercept, extreme value, and the axis of symmetry in the context of a real-word problem.
<b>a.</b> Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.	Recognize which form of a quadratic function is most appropriate for revealing certain properties, when given a real-world problem.
<b>A1.WCE.4</b> Graph exponential functions showing intercepts and end behavior.	Graph exponential functions by hand and using technology and identify the intercepts and end behavior.
	Graph exponential functions by hand using transformations from the parent function.
A1.WCE.5 Complete the square to solve quadratic equations. *This extends learning objectives from A1.A.REI.B.3.	Use the method of completing the square to rewrite a quadratic equation when $a \neq 1$ , in the form of $(x - p)^2 = q$ .
A1.WCE.6 Model real-world scenarios with quadratic equations, using the projectile	Write projectile motion equations using the equation $h(t)=-16t^2+vt+s$
motion equation.	Determine when a projectile will reach its maximum height, the maximum height a projectile will reach, and how long it will take the projectile to land back on the ground.
	Explain why a projectile might reach a specific height at two different times.
	Identify extraneous solutions when modeling projectiles.

Chandanda	Evidence of Learning Statements from
Standards	Instructional Focus Document
A1.F.IF.B.4 ★ Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.	Explain how the domain relates to the graph of a function.
	Explain why a function is continuous or discrete given an equation.
Scope and Clarifications:	
For example, if the function h(n) gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an	Describe how a function's domain is affected when situated within a context.
appropriate domain for the function.	Explain if a function is continuous or discrete, given a context.
<b>A1.F.LE.A.1</b> Distinguish between situations that can be modeled with linear functions and with exponential functions.	Recognize that linear functions have a constant rate of change, while exponential functions do not.
<b>a.</b> Recognize that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals.	Informally show or explain that linear functions grow by adding the same number per unit. This should be done algebraically, graphically, and using words in context of a real-world application.
<b>b.</b> Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.	Determine if a given real-world situation has a constant rate of change and can be modeled by a linear function.
<b>c.</b> Recognize situations in which a quantity grows or decays by a constant factor per unit interval relative to another.	Informally show or explain that exponential functions grow by multiplying the same factor per unit. This should be done algebraically, graphically, and using words in context of a real-world application.
	Given an exponential function with a domain in the integers, explain the meaning of the coefficient, the base, and the exponent in context of the real-world situation.
	Determine if a given real-world situation can be modeled by an exponential function.

Standards	Evidence of Learning Statements from
Stalludius	Instructional Focus Document
	Determine if a given real-world situation that can be modeled by an
	exponential function represents growth or decay.
A1.F.IF.C.8 Compare properties of two functions each represented in a	Compare properties of two exponential functions each represented in a
different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	different way.
	Compare properties of two piecewise-defined functions each represented in a
Scope and Clarifications:	different way.
i) Tasks have a real-world context.	
	Compare properties of two quadratic functions each represented in a
ii) Tasks are limited to linear functions, quadratic functions, piecewise-	different way.
defined functions (including step functions and absolute value functions), and	
exponential functions with domains in the integers	Compare properties of two functions from different function families each
	represented in a different way.
A1.F.LE.A.3 Observe using graphs and tables that a quantity increasing	Compare the end behavior of graphs of lines, quadratics, polynomials, and
exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	exponentials to determine which increases faster.
	Find and compare the average rate of change of lines, quadratics,
	polynomials, and exponentials over equal intervals and make conclusions.
	Defend why a quantity increasing exponentially will eventually exceed a
	linear, quadratic, or polynomial function and justify their conclusion by
	testing values.
A1.F.LE.B.4 Interpret the parameters in a linear or exponential function in	Explain the meaning of the slope and y-intercept in context of the real-world
terms of a context.	situation, given a linear
	function.
Scope and Clarifications:	
For example, the total cost of an electrician who charges 35 dollars for a	Given an exponential function with a domain in the integers, explain the
house call and 50 dollars per hour would be expressed as the function $y = 50x$	meaning of the coefficient, the base, and the exponent in context of the real-
+35. If the rate were raised to 65 dollars per hour, describe how the function would change.	world situation.
	Predict and determine how a linear function is affected by a change in the
i) Tasks have a real-world context.	slope or y-intercept.

Ctondorda	Evidence of Learning Statements from
Standards	Instructional Focus Document
	Explain this change in context.
ii) Exponential functions are limited to those with domains in the integers.	
	Predict and determine how an exponential function is affected by a change in
	the coefficient, base, or exponent. Explain this change in
	context.
A1.F.IF.B.5 Calculate and interpret the average rate of change of a function	Calculate average rate of change when given an equation or table of a
(presented symbolically or as a table) over a specified interval. Estimate the	quadratic, absolute value, piecewise, or exponential functions, where
rate of change from a graph.	exponential functions are limited to domains in the integers.
Scope and Clarifications:	Interpret the average rate of change of a quadratic, absolute value, piece-
i) Tasks have a real-world context.	wise, or exponential functions, where exponential functions are limited to
	domains in the integers.
ii) Tasks are limited to linear functions, quadratic functions, piecewise-	
defined functions (including step functions and absolute value functions), and	Estimate the average rate of change for a specific interval of a quadratic,
exponential functions with domains in the integers.	absolute value, piece-wise, or exponential function when given a graph,
	where exponential functions are limited to domains in the
	integers.
A1.A.CED.A.1 Create equations and inequalities in one variable and use	Create and solve a one variable linear, quadratic, or exponential equation that
them to solve problems.	represents a real-world situation.
Scope and Clarifications:	Create and solve a one-variable linear inequality that represents a real-world
Tasks are limited to linear, quadratic, or exponential equations with integer exponents.	situation.
exponents.	Create and solve a one-variable quadratic or exponential inequality that
	represents a simple real-world situation.
A1.F.IF.C.6 Graph functions expressed symbolically and show key features of	Graph a linear function by hand and using technology and identify the slope
the graph, by hand and using technology.	and intercepts.
<b>b.</b> Graph square root, cube root, and piecewise-defined functions, including	Graph a quadratic function by hand and using technology identifying
step functions and absolute value functions.	intercepts, maxima, and minima.
	Graph a piecewise-defined functions, including step functions and absolute
	value functions by hand and using technology.

Standards	Evidence of Learning Statements from Instructional Focus Document
***Revisiting this standard here allows students to graph all function types	
by hand and review the different functions learned in Algebra I. This	Attend to precision when illustrating intercepts, maxima, and minima and
standard appears in Quarters 1, 2, and 3 also.	determine the domain and range of the function.
A1.WCE.7	Model with radical expressions.
Operate (add, subtract, multiply, divide, simplify, powers) with radicals and	
radical expressions including radicands involving rational numbers and	Simplify, multiply, divide, add, subtract with radical expressions.
algebraic expressions.	
	Rationalize the denominator.
A1.WCE.8 (A1.A.APR.6)	Compare rational expressions by writing them in different but equivalent
Rewrite simple rational expressions in different forms; write $a(x) / b(x)$ in the	forms.
form $q(x)+r(x) / b(x)$ , where $a(x)$ , $b(x)$ , $q(x)$ , and $r(x)$ are polynomials with	
the degree of $r(x)$ less than the degree of $b(x)$ , using inspection, long	Perform operations, such as, add, subtract, multiply and divide, with rational
division, or, for the more complicated examples, a computer algebra system.	expressions and simplify using equivalent forms.
A1.WCE.9	
Understand that rational expressions form a system analogous to the	
rational numbers, closed under addition, subtraction, multiplication, and	
division by a nonzero rational expression; add, subtract, multiply, and divide	
rational expressions.	